

SILKROAD

SILKROAD BUILDING MATERIAL PROJECT SERVICE CO., LTD

Email: sr02@silkroadbuild.com

WEB: www.silkroadbuild.com

Add: Kind Abdulaziz Rd, Al Aarid, Riyadh 13332,
KSA Silk Road Arabia Building Material LLC

رؤية
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

Global Construction Building Material Solution

Silkroad Building

Material Project Service Co., Ltd.

Silkroad Building Material Project Service Co., Ltd. ("Silkroad") is a professional project service platform for building materials established in Riyadh, the capital of Saudi Arabia. The platform aims to integrate the most competitive building material supply chain resources in China and to build the most professional and efficient sourcing, supply and service platform for multiple types of building materials, including sanitary ware, ceramic tile, door, window, kitchen cabinet, lighting fixture, etc. Backed by the mature supply chain in China and direct supply from manufacturers, Silkroadbm is capable of offering products with good quality and competitive prices efficiently. With a professional service team based in Saudi Arabia, the platform provides one-stop sourcing, supply and after-sales services. The co-founders of Silkroadbm are all experienced building material supply chain experts and factory owners in China, who have extensive successful track record in building material supply and construction projects, and fully understand the supply market and competition landscape in China. We can quickly screen suppliers, integrate resources and provide the most cost-effective and high-quality products based on customer needs. The team has rich experience in overseas sales and project services, having serviced in dozens of countries covering Europe, North America, the Middle East and Southeast Asia. The products have obtained quality certifications such as SASO for the Middle East, CE for Europe, TISI for Thailand, KSA for South Korea, CUPC for the North America and ISO9001. Silkroadbm will actively participate in the Saudi Vision 2030 development journey, and strive to make unique contribution to the construction development of Saudi Arabia



OUR PRODUCTS

Categories as Lifestyle Curations

DESIGN IS THE LANGUAGE
BETWEEN PRODUCTS AND HUMANS



CERAMIC TILE



LAMP



BATHROOM



CABINET



WOODEN DOOR



ALUMINUM PROFILE




FURNITURE

Turn the page to discover the next dimension →

Our Showroom



Global Construction
Building Material Solution



Certificate & Test Report



CE FOR SANITARY WARE



CUPC FOR SANITARY WARE



LUMINAIRE ISO CERTIFICATE



DOOR FACTORY ISO



SANITARY WARE ISO



DOOR CE CERTIFICATION



DOOR FACTORY CNAS



DOOR FACTORY FSC



LUMINAIRE 3C CERTIFICATE



CERAMIC TILE FACTORY ISO



DOOR FACTORY BSCI



DOOR FACTORY UL

Certificate & Test Report



DOOR FACTORY SGS



DOOR FACTORY SMETA



CERAMIC TILE FACTORY TEST REPORT



CERAMIC TILE FACTORY TEST REPORT



CERAMIC TILE FACTORY CR



CERAMIC TILE FACTORY SAUDIZATION



SHOWER TEST REPORT



FAUCET (WATER NOZZLE) TEST REPORT




CERAMIC TILE FACTORY QA/QC



CERAMIC TILE FACTORY ADDRESS PROOF



BASIN TEST REPORT




ONE PIECE TOILET TEST REPORT

Certificate & Test Report

Furniture Factory



Fine and Advanced Machines to ensure the high quality




Furniture Factory



Wooden tank production line



Ceramic tile Factory



Till now, our group have total three big modern production bases. Two in China (Heyuan and Gaokeng),total prdoction capacity over 100,000 sqm per day. The other one in Yanbu city, Saudi arabia, production capaicity is 60,000 sqm per day.


Ceramic tile Factory



ITALIAN SACMI 7800T pressing machine



30000 m ²	150 Staff
----------------------	-----------



Aluminum Profile Factory



the company covers an area of 200,000 square meters. We can produce more than 100,000 tons of aluminum profiles and more than 300,000 square meters of door, window and curtain wall every year.

200000m ²
100000t
300000m ²

Aluminum Profile Factory



Wooden Door Factory



Production Base

More than 1,200,000m² factory with
67 modern workshops

Strong Production Capacity

Wooden door capacity: 16000 sets/day
Cabinet and wardrobe capacity: 3500m²

1200000 m ²	16000 sets/day
------------------------	----------------

Wooden Door Factory




Ceramic Toilet & Wash Basin Factory



100000 m ²	200 Staff
-----------------------	-----------

Bathroom Cabinet Factory



150000 m ²	450 Staff
-----------------------	-----------

WHOLE HOUSE CUSTOMIZATION






A1 Series




伯恩本色樱桃



华丽绽放茶玻




流金岁月



肤哑梵高星空



青城灰



2039 轻奢铝框门



FY03 流行拉手




PF08-A10 拉手








A2 Series



盐湖白



贝莱苏米灰



超哑黑橡直纹



潘多拉星空石








In the collision of black and gray, the decoration of the wall is infused with a trace of vitality, and the open metal decorative cabinet is matched with the door cabinet, which meets the storage from the function.





A3 Series



梨花白哑光



米白色 logo



维克尔灰橡




豆绿哑光



KQ013-A14 暗拉手



立柱衣帽间



轻奢铝框门








舒适且随性的卧室像用岁月写出来的一首诗，带着质朴的气息，又被温柔所包裹

The comfortable and casual bedroom is like a poem written with years, with a rustic atmosphere, and is wrapped in tenderness




A4Series



盐湖白



贝莱苏米灰




超哑黑橡直纹






A5 Series



白色 (高光)



贝莱斯米灰



超哑黑橡直纹




白色 (高光)






A6 Series



盐湖白




超哑黑橡直纹



鱼肚白



A7 Series



超哑黑橡直纹



盐湖白



贝莱苏米灰



雪花白




SIMPLICITY MEETS
SOPHISTICATION,
FUNCTION EMBRACES
FASHION




A8 Series



盐湖白



白色



大理石



Triamine door



1mm-1.5mm steel plate,high hardness and high strength



Crush-resistant and prying-resistant,guard your family safe



Traditional,classic,modern and fashionable designs are optional



Corrosion-proof,impact-resistant,stain-resistant and easy to clean



Thickness: 50mm-80mm;with sound insulation material inside





Technology Wood No.4




Technology Wood No.6



South Walnut No.1



South Walnut No.2




North Walnut No.1



North Walnut No.2

| ADAPTER STYLE |



5031




5031



5078



5079



Natural wood veneer



Water-based paint



Beadened



Effective waterproofing



Technology Wood No.4




Technology Wood No.6



South Walnut No.1



South Walnut No.2




North Walnut No.1



North Walnut No.2

| ADAPTER STYLE |



TY8001




TY8003



TY8004




TY8005



Natural wood veneer




Water-based paint



Beadened



Effective waterproofing



Pure White



Light Grey



Red Oak



Dark Oak




Black Walnut



Black Rose

| ADAPTER STYLE |



OPL-001




OPL-011



OPL-019



OPL-049



Natural wood veneer




Water-based paint



Beadened



Effective waterproofing



Pure White



Light Grey



Red Oak



Dark Oak




Black Walnut



Black Rose

| ADAPTER STYLE |



OPL-127



P8-199



OPX-003



OPX-004



Natural wood veneer




Water-based paint



Beadened



Effective waterproofing



Pure White



Light Grey



Red Oak



Dark Oak




Black Walnut



Black Rose

| ADAPTER STYLE |



OPX-005




OPX-006



OPX-007




OPX-008



Natural wood veneer



Water-based paint



Beadened



Effective waterproofing



F39A2



9006-11



F5730



W9195-82



1050-1



ND1669-2



F1226-8




F2271-137



M96045

| ADAPTER STYLE |



OPX-005



OPX-006



OPX-007




OPX-008



Natural wood veneer



Water-based paint



Beadened



Effective waterproofing



F39A2



9006-11



F5730



W9195-82



1050-1



ND1669-2



F1226-8




F2271-137



M96045

| ADAPTER STYLE |



OPX-005




OPX-006



OPX-007



OPX-008



Natural wood veneer



Water-based paint




Beadened




Effective waterproofing

Internal structure



Honeycomb paper



Solid particleboard




Hollow particleboard



Decorative layer	①PVC film ② mixed oil ③ wood venee
Panel	① HDF ② Plywood
Infilling	① Honeycomb paper ② Solid particleboard ③ Hollow particleboard
Frame	① LVL poplar block ② solid wood board+MDF
Edge banding	① PVC film ② mixed oil ③ wood veneer
Door pocket	① A-type ② C-type

Internal structure



MDF
(Medium density fiberboard)





Solid wood strips



Decorative layer	①PVC film ② mixed oil ③ wood venee
Panel	① HDF ② Plywood
Infilling	① Honeycomb paper ② Solid particleboard ③ Hollow particleboard
Frame	① LVL poplar block ② solid wood board+MDF
Edge banding	① PVC film ② mixed oil ③ wood veneer
Door pocket	① A-type ② C-type




PAINTED FRAMRE


	MDOEL	
	A TYPE COMPOSITE FRAME	
	MDOEL	
	MDOEL	
	B TYPE SOLID WOOD FRAME	

FRAMRE

	MDOEL	
	A TYPE WPC FRAME	
	MDOEL	
	B TYPE WPC FRAME	

PAINT-FREE FRAMRE

	MDOEL	
	A TYPE COMPOSITE FRAME	
	MDOEL	
	MDOEL	
	W TYPE COMPOSITE FRAME	

	MDOEL	
	E TYPE WPC FRAME	
	MDOEL	
	W TYPE WPC FRAME	

PAINTED DECORATIVE LINEHDOE

	MDOEL	
	L TYPE ARCHITRAVE	
	MDOEL	
	C TYPE ARCHITRAVE	
	MDOEL	
	D TYPE ARCHITRAVE	


DECORATIVE LINE

	MDOEL	
	L TYPE ARCHITRAVE (WPC)	
	MDOEL	
	L TYPE ARCHITRAVE (WPC)	

PAINT-FREE

	MDOEL	
	L TYPE ARCHITRAVE	
	MDOEL	
	C TYPE ARCHITRAVE	
	MDOEL	
	D TYPE ARCHITRAVE	

DECORATIVE LINE

	MDOEL	
	L TYPE ARCHITRAVE (WPC)	
	MDOEL	
	T TYPE ARCHITRAVE (WPC)	

Ceramic Tile



Anti-skid protective layer



When stained, it can be easily erased by wiping with a rag



The tip of the knife can't make a mark on the tile



Environmental protection and health



The texture is clear, the texture is fine and full






1041

[illegible]

80



Size: 600x1200mm | 750x1500mm



KR12344



KR12345



KR12346



KR12347



KR12348



KR12349



Cave stone series

Size: 600x1200mm | 750x1500mm



KR12T07



KR12T08



KRF12077



KRF12085



KRF12086



KRF12087



KRF12088



KRF12089

Castle brick series

Size: 600x1200mm



KR12611



KR12612



KR12613



KR12614



KR12615



KR12616



KR12617



KR12618

Granite series

Size: 600x1200mm



KR12503




KR12504



KR12505



KR12510



KR12511



KR125106



KR125108

Granite series


Size: 600x1200mm | 750x1500mm | 800x800mm



KR12051RP




KR12054RP



KR12055RB



KR12056RB



KR12052RP



KR12058RB



KR12204



KR12205



KR12053RP



KR12209



KR12522P



KR126059RB

Granite series


Size: 600x1200mm | 750x1500mm



KR12057RB



KR12208



KRF12019



Volcanic series

Size: 600x1200mm | 750x1500mm



KR12091



KR12092



KR12093



KR12094



Pupes series


Size: 600x1200mm



KRF12081



KRF12082



KRF12083



KRF12084

Texture fine carving series

Size: 600x1200mm | 750x1500mm



KR612901



KR612902



KR612903



KR612904



KR612907



KR612908



Jazz White series

Size: 600x1200mm | 750x1500mm | 800x800mm



KF12001




KF12002




KF12003



KF12004



KF12005



KF12010



KF12011



KR12303



KR12307



Luxury stone series


Size: 600x1200mm | 750x1500mm | 800x800mm




KRF12071



KRF12072



KRF12073



KRF12074



KRF12079

Size: 750x1500mm



KRF15075




KRF15076



KRF15077

Terrazzo series

Size: 600x1200mm | 800x800mm



KR12025



KR12026



KR12027



KR12028




KR12034



KR12601



KR12603



KR12604




KR12801



KRH12001SP



KRH12002SP



KRH12003SP

Cement stone series

Size: 600x1200mm | 750x1500mm | 800x800mm



KR12011



KR12012



KR12015



KR12017



KR12018



KR12019



KR12020



KR12021



KR12022



KR12023



KR12024

Star stone series

Size: 600x1200mm | 750x1500mm | 800x800mm | 900x1800mm



KRF12063



KRF12061



KRF12062



KRF12064



KRF12065



KRF12066



KRF12067



KRF126068



KRF126069



KRF126070

The Morandi series

Size: 600x1200mm | 750x1500mm



KR12041



KR12042



KR12043



KR12044




KR12045



KR12047



KR12048



KR12049

Sheep fat glaze series

Size: 600x1200mm




KF12001




KF12002



KF12003



KF12004



KF12005

Wood grain series


Size: 600x1200mm



KR12105

Soft light series

Size: 600x1200mm



KR12400



KR12605



KR12606



KR12607




KR12608



Skin glaze series

Size: 900x1800mm




KR918T01




KR918T02




KR918T03




KR918T06




KRF918T00




KRF918T01



KRF918T03



KRF918T05



KRF918T06



KRF18021



KRF18022



KRF18028



LIGHTING customization



No visible color difference

Color tolerance 5, some products 3



Safe and reliable

From electrical safety to high and low temperature aging experiments Fully verify product reliability



Energy saving and low carbon

Comply with the energy efficiency requirements of national standard GB38450-2019



Ignore fatigue strobe

Fluctuation depth FPF < T31831-2015 specified limit



Low glare

Unified glare value UGR < 10 Lamp shading angle > 30°



High color rendering index

General color rendering index Ra > 90 Special color rendering index R9 > 50




No blue light hazard

Blue light hazard level RGO no hazard





OL-D2042

Size	Power	CCT	CRI	Beam angle	Lumen
	5W(COB)	3000K	90	Lens	400-450lm
		4000K		24°	
		6000K		38°	
	7W(COB)	3000K	90	Lens	560-630lm
		4000K		24°	
		6000K		38°	
	12W(COB)	3000K	90	Lens	960-1080lm
		4000K		24°	
		6000K		38°	



OL-D650-COB2

OL-D650-COB2-2

Watt	CCT	Lm	CRI	Efficacy	mA	LED Volt	Beam Angle
OL-D650-COB2							
12W	3000K	900	90	75lm/W	300	36	Asymmetric
12W	4000K	972	90	81lm/W	300	36	Asymmetric
12W	5000K	984	90	82lm/W	300	36	Asymmetric
OL-D650-COB2-2							
2x12W	3000K	1776	90	74lm/W	2x300	36	Asymmetric
2x12W	4000K	1944	90	81lm/W	2x300	36	Asymmetric
2x12W	5000K	1992	90	83lm/W	2x300	36	Asymmetric



OL-D651-COB2


OL-D651-COB2-2

Watt	CCT	Lm	CRI	Efficacy	mA	LED Volt	Beam Angle
OL-D651-COB2							
12W	3000K	900	90	75lm/W	300	36	Asymmetric
12W	4000K	972	90	81lm/W	300	36	Asymmetric
12W	5000K	984	90	82lm/W	300	36	Asymmetric
OL-D651-COB2-2							
2x12W	3000K	1776	90	74lm/W	2x300	36	Asymmetric
2x12W	4000K	1944	90	81lm/W	2x300	36	Asymmetric
2x12W	5000K	1992	90	83lm/W	2x300	36	Asymmetric








OL-D2042



Size	Power	CCT	CRI	Beam angle	Lumen
	3W(COB)	3000K 4000K 6000K	90	Lens 24° 38°	210-240lm
	5W(COB)	3000K 4000K 6000K	90	Lens 24° 38°	400-450lm
	9W(COB)	3000K 4000K 6000K	90	Lens 24° 38°	720-810lm

OL-D2052


Size	CODE	Power	CCT	CRI	Beam angle	Lumen
	D2052S	3W(COB)	3000K 4000K 6000K	90	Lens 15° 24° 36°	210-240lm
	D2052L	3W(COB)	3000K 4000K 6000K	90	Lens 15° 24° 36°	210-240lm
	D2052	6W(COB)	3000K 4000K 6000K	90	Lens 15° 24° 36°	480-540lm
	D2052	9W(COB)	3000K 4000K 6000K	90	Lens 15° 24° 36°	720-810lm
	D2052	12W(COB)	3000K 4000K 6000K	90	Lens 15° 24° 36°	960-1080lm




OL 74170/7W
LED: Bridgelux COB
Power: 7W
Flux(Lm): 377Lm
Angle: 30°/38°
CTN: 30
Material: Aluminum



OL 74172/12W
LED: Bridgelux COB
Power: 12W
Flux(Lm): 835Lm
Angle: 24°/35°
CTN: 20
Material: Aluminum




OL 74172/12W
LED: Bridgelux COB
Power: 12W
Flux(Lm): 835Lm
Angle: 24°/35°
CTN: 20
Material: Aluminum





OL 74172/12W
LED: Bridgelux COB
Power: 12W
Flux(Lm): 835Lm
Angle: 24°/35°
CTN: 20
Material: Aluminum

Colortemperature




Color






OL 74149/7W
LED: Prolight SMD
Power: 7W
Flux(Lm): 418Lm
Angle: 24°+ ∠ 25°/30°+ ∠ 25°
CTN: 30
Material: Aluminum




OL 74150/7W
LED: Prolight SMD
Power: 7W
Flux(Lm): 418Lm
Angle: 24°+ ∠ 25°/30°+ ∠ 25°
CTN: 30
Material: Aluminum




OL C78052/7W
LED: Prolight SMD
Power: 7W
Flux(Lm): 418Lm
Angle: 24°+ ∠ 25°/30°+ ∠ 25°
CTN: 12
Material: Aluminum



OL 74230/7W
LED: Bridgelux COB
Power: 7W
Flux(Lm): 410Lm
Angle: 24°/30°/40°
CTN: 30
Material: Aluminum




OL 74231/7W
LED: Bridgelux COB
Power: 7W
Flux(Lm): 410Lm
Angle: 24°/30°/40°
CTN: 20
Material: Aluminum





OL C78054/7W
LED: Bridgelux COB
Power: 7W
Flux(Lm): 410Lm
Angle: 24°/30°/40°
CTN: 12
Material: Aluminum


Colortemperature




Color




IP	CRI
20	90




OL 74344/12W
LED: Bridgelux COB/Bridgelux SMD
Power: 12W&12W
Flux(Lm): //Lm
Angle: 24°&48°
CTN: 30
Material: Aluminum




OL 74346/12W
LED: Bridgelux COB/Bridgelux SMD
Power: 12W&12W
Flux(Lm): //Lm
Angle: 24°&48°
CTN: 20
Material: Aluminum



OL 74345/12W~5W
LED: LatticePower SMD/Bridgelux SMD
Power: 12W&5W
Flux(Lm): //Lm
Angle: 24°&48°
CTN: 30
Material: Aluminum




OL 74347/12W~5W
LED: LatticePower SMD/Bridgelux SMD
Power: 12W&5W
Flux(Lm): //Lm
Angle: 24°&48°
CTN: 20
Material: Aluminum



OL C78092/4W+7W
LED: OSRAM SMD/Bridgelux SMD
Power: 4W&7W
Flux(Lm): 140Lm&247Lm
Angle: 24°&75°
CTN: 12
Material: Aluminum

Colortemperature










Color

■ Sand white+Black

IP
20

CRI
90



OL 74297/12W

LED: Bridgelux COB
Power: 7W
Flux(Lm): 406Lm
Angle: 24°/18°/36°
CTN: 30
Material: Aluminum

OL 74298/12W

LED: Bridgelux COB
Power: 12W
Flux(Lm): 663Lm
Angle: 24°/18°/36°
CTN: 30
Material: Aluminum

OL 74299/7W

LED: Bridgelux COB
Power: 7W
Flux(Lm): 406Lm
Angle: 24°/18°/36°
CTN: 30
Material: Aluminum

OL 74300/12W

LED: Bridgelux COB
Power: 7V
Flux(Lm): 406Lm
Angle: 24°/18°/36°
CTN: 30
Material: Aluminum

OL 74330/5W

LED: LUMINUS SMD
Power: 5W
Flux(Lm): 186Lm-163Lm
Angle: 12°-35°
CTN: 30
Material: Aluminum
Focusing: 11°-46°
11°-55°

OL 74331/10W

LED: Bridgelux COB
Power: 10W
Flux(Lm): 641Lm-599Lm
Angle: 11°-55°
CTN: 30
Material: Aluminum
Focusing: 11°-46°
11°-55°


OL 74332/15W

LED: Bridgelux COB
Power: 15W
Flux(Lm): 827Lm-845Lm
Angle: 15°-46°
CTN: 20
Material: Aluminum
Focusing: 11°-46°
11°-55°

Colortemperature




Color



Colortemperature



Color





Item No.	Color	Power	LED	LMS	Beam Angle	Product Size	Cut Size
OL-C3008-100	WH	7W	Bridgelux Clip	80lm/w	12°-50°	Φ 85x100mm	Φ 75
OL-C3008-200		9W				Φ 85x200mm	
OL-C3008-300		12W				Φ 85x300mm	
OL-C3008-400		15W				Φ 85x400mm	
OL-C3008-A-100	WH	7W	Bridgelux Clip	80lm/w	12°-50°	Φ 85x100mm	Φ 75
OL-C3008-A-200		9W				Φ 85x200mm	
OL-C3008-A-300		12W				Φ 85x300mm	
OL-C3008-A-400		15W				Φ 85x400mm	

Colortemperature

2700K

3000K

4000K

5000K

Color

Sand white+Black

IP

20

CRI

90

118



Related Products



Recessed

Adopt, high quality aluminum material, top die casting process. perfect air convection design, strong thermal conductivity, good heat dissipation, to ensure the maximum effectiveness of the radiator, ensure the life of the light source. Adopted, high CRI, high light efficiency, high illumination quality LED light source, perfectly presenting the color and lustre of the subject.



OL C3003
Bridgelux COB



OL C3001
LED Downlight



OL C3002
LED Downlight



OL 3298
LED Spotlight



OL 3310
LED Spotlight



OL 3162
LED Spotlight



OL 3223
LED Spotlight



OL 3309
LED Spotlight



OL 3351
LED Spotlight



OL 3357
LED Spotlight



OL 3358
LED Spotlight



OL 3394
LED Spotlight



OL 3394R
LED Spotlight



OL 3394SF
LED Spotlight



OL 3412
LED Spotlight



OL 3501
LED Spotlight



OL A3304
LED Spotlight



OL B3304
LED Spotlight



OL 3043
LED Zoom Light



OL 3412
LED Track Light



OL-C3009-1/1x
LED Track Light



OL-C3009-2/2x
LED Track Light



OL-C3009-3/3x
LED Track Light





OL-C3019

Size	Power	CCT	CRI	Beam angle	Lumen
	10+2W (COB+SMD)	3000K 4000K 6000K	90	Reflectoe+Lens 15° 24° 38° 55°	960-1080lm
	18+2W (COB+SMD)	3000K 4000K 6000K	90	Reflectoe+Lens 15° 24° 38° 55°	1680-1800lm
	28+2W (COB+SMD)	3000K 4000K 6000K	90	Reflectoe+Lens 15° 24° 38° 55°	2400-2700lm






OL-Xc001

Size	Power	CCT	CRI	Beam angle	Lumen
	20W(COB)	3000K 4000K 5000K	90	Lens 15° 30° 45° 60°	1600-1800lm
	30W(COB)	3000K 4000K 5000K	90	Lens 15° 30° 45° 60°	2400-2700lm
	40W(COB)	3000K 4000K 5000K	90	Lens 15° 30° 45° 60°	3200-3600lm




OL-Xc009R


Size	Power	CCT	CRI	Beam angle	Lumen
	20+5W(SMD)	3000K 4000K 5000K	90	Lens 15° 24° 38° 60°	2000-2250lm
	30+8W(SMD)	3000K 4000K 5000K	90	Lens 15° 24° 38° 60°	3040-3420lm
	20W(SMD)	3000K 4000K 5000K	90	Lens 15° 24° 38° 60°	1600-1800lm
	30W(SMD)	3000K 4000K 5000K	90	Lens 15° 24° 38° 60°	2400-2700lm




OL C78048-1/1x5w
Bridgelux SMD




OL C78048-2/2x5w
Bridgelux SMD




OL C78048-3/3x5w
Bridgelux SMD




OL C78086
Bridgelux COB




OL C78087
Bridgelux COB




OL C78088
Bridgelux COB



OL 73031
Bridgelux SMD




OL 73032
Bridgelux SMD




OL 73033
Bridgelux SMD




OL C78059
Bridgelux COB




OL C78067
Bridgelux COB




OL C79030
Bridgelux SMD




OL C79031
Bridgelux SMD



OL C79032
Bridgelux SMD



OL C78060
Bridgelux COB



OL C78068
Bridgelux COB



OL B093
Bridgelux COB



OL S4001R
LED Track Light



OL-W6110
Down Light



OL 3359
Surface Mounted Downlight



OL B136
Bridgelux COB




OL 3300
LED Grille Light



OL 5094
LED Panel Light



OL 5077
LED Surface Light



OL 5079
LED Surface Light



TRACK

BEIRUT SERIES



OL 1022
LED Track Light



OL-T2001
LED Track Light



OL-R4002
LED Track Light



OL-R4003
LED Track Light



OL-R4004
LED Track Light



OL 1028
LED Track Light



OL 2019
Bridgelux COB



OL 75005
Bridgelux COB



OL 75002
Luminus SMD



OL 75004
Luminus SMD



OL 75007
Luminus COB




OL 2031
Bridgelux COB



OL 2027
CREE SMD



OL 7593
GYM COB



OL 7575
Bridgelux COB



OL-SF-001
LED Spotlight



OL-SF-300-1
LED Spotlight



OL-SF-300-2
LED Spotlight



OL-B-5.3WW GU10
LED Spotlight



OL-F-007
LED Spotlight



OL-F-007-2
LED Spotlight



OL-F-007-3
LED Spotlight



OL-FM-001-7W
LED Spotlight



OL-FM-002-12W
LED Spotlight



OL-F-006
LED Spotlight



OL-F-006-2
LED Spotlight



OL-F-006-3
LED Spotlight



OL-F-006-4
LED Spotlight



OL-MR11-6528AB
LED Spotlight



OL-MR11-6565AB
LED Spotlight



OL-MR11-5028AD
LED Spotlight



OL-MR11-5028
LED Spotlight



OL-MR11-6528
LED Spotlight



OL-MR11-12165
LED Spotlight




OL-MR11-12165AB
LED Spotlight




OL-MR11-F
LED Spotlight




OL-MR11-3W
LED Spotlight





OL 7884
OSRAM SMD




OL 7885
OSRAM SMD




OL 7886
OSRAM SMD



OL 7787
OSRAM SMD





OL 7788
OSRAM SMD




OL 7789
OSRAM SMD






OL-XP012S

Size(Mm)	Power	CCT	CRI	Beam angle	Lumen
	12+5W(SMD)	3000K 4000K 5000K	90	Reflector 38°	1360-1530lm
	20+8W(SMD)	3000K 4000K 5000K	90	Reflector 38°	2240-2520lm
	40+15W(SMD)	3000K 4000K 5000K	90	Reflector 38°	4400-4950lm



OL-XP012

Size(Mm)	Power	CCT	CRI	Beam angle	Lumen
	20+8W(SMD)	3000K 4000K 5000K	90	Reflector 38°	2240-2520lm
	40+15W(SMD)	3000K 4000K 5000K	90	Reflector 38°	4400-4950lm
	60+20W(SMD)	3000K 4000K 5000K	90	Reflector 38°	6400-7200lm
	80+30W(SMD)	3000K 4000K 5000K	90	Reflector 38°	8800-9900lm




OL8128/9W

LED: Bridgelux COB
Power: 9W
Angle: 24°/15°/35°
CTN: 1
Material: Iron+Glass



OL8128/9W

LED: Bridgelux COB
Power: 9W
Angle: 24°/15°/35°
CTN: 1
Material: Iron+Glass





Short pression turns on/off
ong pression dims the light.

Colortemperature




Color

 Sand black




OL77028/9W

LED: Bridgelux COB
Power: 9W
Angle: 24°/15°/35°
CTN: 1
Material: Iron+Glass



OL77029/3x9W

LED: Bridgelux COB
Power: 3x9W
Angle: 24°/15°/35°
CTN: 1
Material: Iron+Glass



OL77030/5x9W



LED: Bridgelux COB
Power: 5x9W
Angle: 24°/15°/35°
CTN: 1
Material: Iron+Glass

Colortemperature



Color

 Sand black



Aluminum Product



A door with many colors
Mastering different styles



Aviation grade aluminum
Super thick and strong



Mechanical spraying
Oil resistant and easy to clean



Excellent sound insulation
Outside noise, indoor tranquility



Safety glass
both impact and burst resistance, excellent performance



quality metal products
Made from premium materials ensuring robustness.



CURTAIN WALL SERIES



85 SERIES FOLDING DOOR

Technical Parameters:

Frame thickness: 2.0mm

Size rang:

Sash width:500mm-950mm Sash height: 1200mm-3500mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:


14.8mm

Product function:

folding door

Product description:

- 1, Multi-folding design with oversized opening,provides a clear and wide view.
- 2, It is equipped with an anti-pinch design for safety and reliability.
- 3, This series can be partially opened or fully expanded as needed for versatile and flexible adjustments
- 4, When closed it provides effective sound insulation and sealing performance.
- 5,It has hidden hinges for better aesthetics
- 6, It is available in both inside and outside folding options to fit more spaces.



85 SERIES FOLDING DOOR METHOD 24 CONFIGURATIONS

- [ODD FOLD +0] 4 KINDS: 1+0, 3+0, 5+0, 7+0
[ODD FOLD + ODD FOLD] 6 KINDS: 1+1, 3+1, 5+1, 3+3, 5+3, 7+1
[EVEN FOLD +0] 4 KINDS: 2+0, 4+0, 6+0, 8+0
[EVEN FOLD + ODD FOLD] 6 KINDS: 2+1, 2+3, 4+1, 4+3, 5+2, 6+1,
[EVEN FOLD + EVEN FOLD] 4 KINDS: 2+2, 4+2, 4+4, 6+2

90

SERIES

SYSTEM FOLDING DOOR

Technical Parameters:

Frame thickness: 2.0mm

Size rang:

Sash width:500mm-950mm Sash height: 1200mm-3500mm

Glass specification:

5+27A+5 double tempered insulating glass

Heat insulation strip:



24mm

Product function:

Folding door

Product description:

- 1, Folding design, 100% full opening, effective space saving, more open view
- 2, It adopts tempered hollow glass design, which effectively reduces noise and achieves the best sound insulation effect
- 3, It is equipped with high-quality sliding rails, folds easily and smoothly, and is durable.
- 4, Door hinge are flexible and can be customized according to needs
- 5, It is available in both inside and outside folding options to fit more spaces.



90 SERIES FOLDING DOOR FOLDING METHOD 10 CONFIGURATIONS

[ODD FOLD +0] 4 KINDS: 1+0, 3+0, 5+0, 7+0

[ODD FOLD + ODD FOLD] 6 KINDS: 1+1, 3+1, 5+1, 3+3, 5+3, 7+1

60

SERIES

FOLDING WINDOW

Technical Parameters:

Frame thickness: 2.0mm

Size rang:

Sash width: 500mm-800mm Sash height: 500mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:


20mm

Product function:

folding window

Product description:

- 1,Left and right can be freely folded, larger opening angle, better viewing and ventilation effect
- 2, Roller screens can be selected to meet the needs of mosquito protection and glare blocking.
- 3, Bridge cut-off design,has better heat and sound insulation,and can reach more energy-saving and environmental protection
- 4, Outer flat frame design drives no water and dust accumulation



60 SERIES FOLDING WINDOW FREE FOLDING METHOD 7 CONFIGURATIONS

[EVEN FOLD +0] 4 KINDS: 2+0, 2+2, 2+2+2, 2+2+2+2 +2

[EVEN FOLD + ODD FOLD] 3 KINDS: 2+1, 2+2+1, 2+2+2+1

55 SERIES
HEAVY AMERICAN MANUEL WINDOW WITH VERTICAL FOLDING

Technical Parameters:

Wall thickness 1.2mm

Material:

Aluminum alloy

Opening mode:

Upholding handle to stop and sliding window

Accessories:

Coil spring

Section width of profile:

55mm

Maximum area:

7 square meters of single glass; Double glass 3.5 m²

Width limit:


Single glass ≤ 3 meters; Double glass ≤ 3 meters

Height limit:


Single glass ≤ 2.8 meters; Double glass ≤ 2.8 meters

Product description:


- 1, Small wall occupation design, meets the needs of more thinl wall thickness
- 2, Roller screens can be selected to meet the needs of mosquito protection and glare blocking.
- 3, Upper and lower folding opening design has a larger opening angle for better viewing and ventilation.
- 4, That this series is made of 6063 profiles, which has high quality, and is strong, durable, corrosion resistant.



Off state




On state





INSIDE

OUTSIDE



INSIDE

OUTSIDE



50 SERIES
CASEMENT WINDOW WITHOUT BRIDGE CUT-OFF

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:2.0mm

Size rang:

Sash width:450mm-750mm Sash height: 750mm-1400mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:








Profile:thickness 1.8mm

Product function:

Outward opening window、awning

Product description:

- 1, 45 degree corner cleat with glue injection design has stable structure, elegant and smooth appearance lines
- 2, The sash is designed with beveled lines, revealing a sense of aesthetic design in fashionable simplicity.
- 3, Stainless steel load-bearing hardware, has safe and stable without deformation performances, and long service life
- 4, Standard 6+12A+6 hollow tempered glass,has good sound insulation, heat insulation, and better safety



OUTSIDE

INSIDE

75 SERIES SYSTEM CASEMENT WINDOW

Technical Parameters:

Frame thickness: 1.8mm

Size rang:

Sash width:450mm-750mm Sash height: 750mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:



Profile:thickness 1.8mm

Product function:

Outward opening window、awning


Product description:

1. aesthetics design with simple smooth lines, to enhance the high-end taste
2. The window sash adopts a narrow edge design, which reduces the obstruction of the field of view, and has larger field of view space.
3. Concealed drainage system, hidden drainage holes enhances aesthetics, while enhances the effect of wind and tsunami prevention.
4. Window and screen are integrated, and at the same time it has better ventilation and anti-mosquito performance




INSIDE

OUTSIDE



Non-steel mesh structure



OUTSIDE

INSIDE

Steel gauze structure

100 SERIES SYSTEM CASEMENT WINDOW

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:1.8mm

Size rang:

Sash width:500mm-750mm Sash height: 800mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

26mm

Product function:

Outward opening window、awning

Basic parameters:



Insulation performance:
Level 6



Wind pressure resistance
performance:
Level 8



Watertightness performance:
Level 6







Sound insulation performance:
Level 4




Airtightness coefficient:
Level 4

Product description:


- 1, Reinforced wall thickness design has higher safety performance, higher wind pressure resistance
- 2, Split balanced Angle code injection process, improve the wind pressure resistance of the whole window and the overall safety performance
3. 20A hollow thickness effectively improves sound insulation, heat preservation and thermal insulation properties
- 4,Selected imported brand hardware, has quality assurance, longer lasting and durable



OUTSIDE



INSIDE



108 SERIES SYSTEM WINDOW

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:2.0mm

Size rang:

Sash width:500mm-750mm sash height: 800mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

14.8mm

Product function:

Outward opening window

Basic parameters:



Insulation performance:
Level 5



Wind pressure resistance
performance:
Level 8



Watertightness performance:
Level 6




Sound insulation performance:
Level 4



Airtightness coefficient:
Level 5




Product description:

- 1,There is a variety of crimping to choose from, and it looks beautiful and atmospheric.
- 2, Split balanced Angle code injection process, improve the wind pressure resistance of the whole window and the overall safety performance
- 3, The internal and external flat frame design makes the lines not only smooth but also more aesthetic. with three sealing design,it can effectively isolate the external interference.
- 4, 20A hollow thickness effectively isolates external noise.
- 5,Adopting imported brand hardware, its quality can be assured , and it's more durable



OUTSIDE

INSIDE



OUTSIDE

INSIDE



118 SERIES SYSTEM SLIDING WINDOW

Technical Parameters:

Profile:thickness:2.0mm local reinforcement:2.2mm

Size rang:

Sash width:600mm-2200mm Sash height: 1000mm-1400mm

Glass specification:

5+15A+5 double tempered insulated glass

Heat insulation strip:


24mm

Product function:

Lifting Window

Product description:

- 1, Adopting high-strength and high-quality aluminum alloy material structure design, is sturdy and durable
- 2, Bridge cut-off technology reduces heat conduction and provides excellent thermal and sound insulation.
- 3, Versatile design supports three-rail sliding and can be customized according to needs
- 4, Multi-point locking system provides high anti-theft performance and security of use
- 5, Hidden Children code Locks, are safer and more beautiful



40 SERIES CASEMENT WINDOW

Technical Parameters:

Frame thickness: 1.0mm

Size rang:

Sash width: 300mm-750mm Sash height: 500mm-1300mm

Glass specification:

Single glazing 5mm Double glazing 5+9A+5

Product function:

Outswing , Awing


Product description:

1. Use the performance-well aluminum material with roughness structure
2. Thin&Light frame, expansive view, particularity use in narrow wall space
3. excellent outward appearance,special sash bevel design bring the strong visual impact




40 SERIES cAsEmEnt WInDOW

Assembly drawing of 40 series single-glazed casement windows



Assembly drawing of 40 series double-glazed casement windows



Furniture Design



Fashion goes with everything
Vibrant Colors, A Visual Feast



E1 class sheet
Safe and assured




bouncy sponge cushion
The sponge texture is of high quality, with excellent resilience.



Cloth selection
The selected high-quality leather cloth is soft, breathable, skin-friendly, environment-friendly and durable.





WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店


WALDORF ASTORIA[®]
DOHA • LUSAIL



WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店

星级指数：★★★★★

地理位置：卡塔尔多哈

开业时间：2022 年


工程简介：位于卡塔尔首都多哈的卢塞尔区，紧邻阿拉伯湾，坐拥无遮挡海景，距离市中心 CBD 约 10 分钟车程，距多哈国际机场 20 分钟车程，交通便利。共设 429 间客房，均配备私人阳台、海景休息区、平板电视、高端卫浴（含浴袍、拖鞋及坐浴盆）等，兼具本地特色和国际服务水准。美盈家具于 2022 年与酒店取得合作，提供客房，以优质的业务水平和超凡的产品品质，为各合作伙伴编写辉煌篇章。

Hotel Standard: ★★★★★

Location: Doha Qatara

The Year of Opening:2022


Project Reference: Located in Lusair District of Doha, the capital of Qatar, close to the Arabian Gulf, with open sea view , about 10 minutes' drive from the city center CBD, 20 minutes' drive from Doha International airport, convenient transportation . A total of 429 rooms , all equipped with private balcony, sea view seating area, flat-screen TV, high-end bathroom (including bathrobes, slippers and bidet) , both local and international standards of service. Meiying Furniture has cooperated with the hotel in 2022 to provide rooms, and has written brilliant chapters for the partners with high quality business level and extraordinary product quality.






WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店





**SIX SENSES
SOUTHERN DUNES
THE RED SEA**

沙特六善酒店





SIX SENSES SOUTHERN DUNES THE RED SEA

沙特六善酒店

星级指数：★★★★★

地理位置：沙特阿拉伯

开业时间：2023 年

工程简介：红海南丘六善酒店地理位置得天独厚。坐落于红海之滨，拥有绵延的私人沙滩和清澈碧蓝的海水。在这里，你可以尽情享受阳光沙滩的浪漫，也可以潜入海底探索丰富多彩的海洋世界。周边自然景观壮丽，为宾客提供了一个远离喧嚣、亲近自然的度假胜地。设施一流尽显奢华。酒店拥有宽敞舒适的客房和套房，每一间都配备了高端的家具和现代化的设施。

Hotel Standard: ★★★★★

Location: SAUDI

The Year of Opening:2023

Project Reference: The Six Senses Red Sea Resort is uniquely located on the Red Sea coast, featuring a long stretch of private beach and clear, blue. Here, you can either bask in the romantic sunshine on the beach or dive into the sea to explore the rich and colorful marine world. The surrounding natural scenery magnificent, providing guests with a tranquil escape close to nature. The facilities are first-class and exude luxury.





SIX SENSES SOUTHERN DUNES THE RED SEA

沙特六善酒店





Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店



Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店

星级指数: ★★★★★

地理位置: 沙特阿拉伯 利雅得

开业时间: 2021 年


工程简介: 这家传统风格的酒店拥有优越的地理位置, 距离哈利德国王机场约 40 公里, 毗邻贾里尔书店。五星级的酒店拥有 280 间空调客房。其中一些配有带卫星频道的平板电视以及咖啡 / 茶煮设备。这些房间配有沙发和办公桌, 有阳台和休息区。


Hotel Standard: ★★★★★

Location: Riyadh, Saudi Arabia

The Year of Opening: 2021


Project Reference: The traditional-style hotel offers a prime location about 40 km from King Khalid airport and adjacent to Jarir Bookstore. The 5-star Joudyan Olaya Riyadh hotel welcomes guests to 280 air-conditioned rooms. Some of them come with a flat-screen TV with satellite channels along with coffee/tea making equipment. Furnished with a couch and a work desk, these rooms have a balcony and a sitting area.





Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店





MC-ZSG-001



MC-ZSG-002



MC-ZSG-003



MC-ZSG-009



MC-ZSG-010



MC-ZSG-011



MC-ZSG-012

MC-ZSG-002



MC-ZSG-004



MC-ZSG-005



MC-ZSG-006



MC-ZSG-013



MC-ZSG-014



MC-ZSG-015



MC-ZSG-016

MC-ZSG-005



MC-ZSG-007



MC-ZSG-008



MC-ZSG-017



MC-ZSG-018



MC-ZSG-019



MC-ZSG-020



MC-ZSG-025



MC-ZSG-026



MC-ZSG-027



MC-ZSG-021



MC-ZSG-022



MC-ZSG-023



MC-ZSG-024



MC-SF-001



MC-SF-002



MC-SF-003



MC-SF-016



MC-SF-017



MC-SF-018



MC-SF-004



MC-SF-005



MC-SF-006



MC-SF-019



MC-SF-020



MC-SF-021



MC-SF-007



MC-SF-008



MC-SF-009



MC-SF-022



MC-SF-023



MC-SF-024



MC-SF-010



MC-SF-011



MC-SF-012



MC-SF-025



MC-SF-026



MC-SF-027



MC-SF-013



MC-SF-014



MC-SF-015



MC-SF-028



MC-SF-029



MC-SF-030



MC-CJ-001



MC-CJ-002



MC-CJ-003



MC-CJ-004



MC-CJ-017



MC-CJ-018



MC-CJ-019



MC-CJ-020



MC-CJ-021



MC-CJ-005



MC-CJ-006



MC-CJ-007



MC-CJ-008



MC-CJ-022



MC-CJ-023



MC-CJ-024



MC-CJ-025



MC-CJ-026



MC-CJ-009



MC-CJ-010



MC-CJ-011



MC-CJ-012



MC-CJ-027



MC-CJ-028



MC-CJ-029



MC-CJ-030



MC-CJ-031



MC-CJ-013



MC-CJ-014



MC-CJ-015



MC-CJ-016



MC-CJ-032



MC-CJ-033



MC-CJ-034



MC-GFY-001



MC-GFY-005



MC-GFY-006



MC-GFY-007



MC-GFY-002



MC-GFY-008



MC-GFY-009



MC-GFY-010



MC-GFY-003



MC-GFY-011



MC-GFY-012



MC-GFY-013



MC-GFY-004



MC-GFY-014



MC-GFY-015



MC-GFY-016



MC-XXY-004



MC-XXY-005



MC-XXY-006



MC-XXY-007



MC-XXY-008



MC-XXY-009



MC-XXY-010



MC-XXY-011



MC-XXY-012



MC-XXY-013



MC-XXY-014



MC-XXY-015



MC-XXY-016



MC-XXY-017



MC-XXY-018



MC-XXY-019



MC-YZ-001



MC-YZ-002



MC-YZ-003



MC-YZ-013



MC-YZ-014



MC-YZ-015



MC-YZ-004



MC-YZ-005



MC-YZ-006



MC-YZ-017



MC-YZ-018



MC-YZ-019



MC-YZ-007



MC-YZ-008



MC-YZ-009



MC-YZ-020



MC-YZ-021



MC-YZ-022



MC-YZ-010



MC-YZ-011



MC-YZ-012



MC-YZ-023



MC-YZ-024

BATHROOM SERIES






CE

1003A


Washdown one-piece toilet
Size: **680x375x810** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in



CE

1003F


Bidet
Size: **550x370x400** mm
Fixing to wall with back



CE

1003S


Stand basin
Size: **490x490x805** mm
Fixing to wall with back



CE

1003B


Wall-hung basin
Size: **535x425x385** mm
Fixing to wall with back



CE




1004A
Washdown one-piece toilet
Size: **660x360x805** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in



CE




1004F
Bidet
Size: **555x360x400** mm
Fixing to wall with back



CE




1004S
Stand basin
Size: **400x400x850** mm
Fixing to wall with back



CE



1004B
Wall-hung basin
Size: **510x420x380** mm
Fixing to wall with back






CE




1038A
 Washdown two-piece toilet
 Size: **650x340x770** mm
 P-trap, **180**mm roughing-in
 S-trap, **250**mm roughing-in



CE




1038W
 Wall-hung toilet
 Size: **485x360x365** mm
 P-trap, **180**mm roughing-in



CE




1038F
 Bidet
 Size: **540x340x400** mm
 Fixing to wall with back



CE




1038WB
 Wall-hung basin
 Size: **560x440x410** mm
 Fixing to wall with back






CE

1039A
Washdown two-piece toilet
Size: **650x340x770** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




CE

1039W
Wall-hung toilet
Size: **490x340x360** mm
P-trap, **180**mm roughing-in




CE

1039B
Stand basin
Size: **435x450x835** mm
Fixing to wall with back



CE


1039FB
Wall-hung basin
Size: **500x400x385** mm
Fixing to wall with back






1048FW

Washdown floor mounted toilet
Size: **555x360x400** mm
P-trap, **180mm** roughing-in




1048F

Washdown floor mounted toilet
Size: **555x360x400** mm
P-trap, **180mm** roughing-in




1048W-S

Wall-hung toilet
Size: **510x360x350** mm
P-trap, **180mm** roughing-in




1048FB-S

Wall-hung basin
Size: **510x360x300** mm




1048A-S

Washdown two-piece toilet
Size: **630x380x800** mm
P-trap, **180mm** roughing-in




1048A

Washdown two-piece toilet
Size: **690x390x830** mm
P-trap, **180mm** roughing-in




1048W

Wall-hung toilet
Size: **570x355x365** mm
P-trap, **180mm** roughing-in




1048FB

Wall-hung basin
Size: **560x355x300** mm







1049A-S
Washdown two-piece toilet
Size: **615x380x800** mm
P-trap, **180**mm roughing-in




1049A
Washdown two-piece toilet
Size: **690x390x830** mm
P-trap, **180**mm roughing-in




1049FW
Washdown floor mounted toilet
Size: **550x360x400** mm
P-trap, **180**mm roughing-in




1049F
Washdown floor mounted toilet
Size: **550x360x400** mm
P-trap, **180**mm roughing-in




1049W-S
Wall-hung toilet
Size: **480x360x350** mm
P-trap, **180**mm roughing-in




1049FB-S
Wall-hung basin
Size: **480x360x350** mm



1049W
Wall-hung toilet
Size: **550x360x400** mm
P-trap, **180**mm roughing-in




1049FB
Wall-hung basin
Size: **550x360x400** mm







1046FW
Washdown floor mounted toilet
Size: **570x355x415** mm
P-trap, **180mm** roughing-in




1046F
Washdown floor mounted toilet
Size: **570x355x415** mm
P-trap, **180mm** roughing-in




1046W
Wall-hung toilet
Size: **485x360x350** mm
P-trap, **180mm** roughing-in




1046FB
Wall-hung basin
Size: **485x360x350** mm



1046A-S
Washdown two-piece toilet
Size: **615x380x800** mm
P-trap, **180mm** roughing-in




1046A
Washdown two-piece toilet
Size: **690x370x820** mm
P-trap, **180mm** roughing-in






WH-028B

Wall-hung toilet
Size: **510x360x350** mm
P-trap, **180**mm roughing-in
Color: Black




WH-028BB

Wall-hung Bidet
Size: **510x360x300** mm
Color: Black




WH-028GM

Wall-hung toilet
Size: **510x360x350** mm
P-trap, **180**mm roughing-in
Color: Grey Matt




WH-028BGM

Wall-hung Bidet
Size: **510x360x300** mm
Color: Grey Matt




WH-003B

Wall-hung toilet
Size: **485x365x370** mm
535x365x350 mm
P-trap, **180**mm roughing-in
Color: Black




WH-003BB

Wall-hung Bidet
Size: **485x370x325** mm
Color: Black




WH-030B

Wall-hung toilet
Size: **485x350x340** mm
P-trap, **180**mm roughing-in
Color: Black




WH-030BB

Wall-hung Bidet
Size: **480x370x325** mm
Color: Black




WH-003GM

Wall-hung toilet
Size: **485x365x370** mm
535x365x350 mm
P-trap, **180**mm roughing-in
Color: Grey Matt




WH-003BGM

Wall-hung Bidet
Size: **485x370x325** mm
Color: Grey Matt




WH-030GM

Wall-hung toilet
Size: **485x350x340** mm
P-trap, **180**mm roughing-in
Color: Grey Matt




WH-030BGM

Wall-hung Bidet
Size: **485x370x325** mm
Color: Grey Matt







8018
Washdown one-piece toilet
Size: **685x385x765** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8010
Washdown one-piece toilet
Size: **720x380x800** mm
P-trap, **180**mm roughing-in
S-trap, **250/300**mm roughing-in




8022
Washdown one-piece toilet
Size: **720x375x810** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8067
Washdown one-piece toilet
Size: **700x370x800** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8096
Washdown one-piece toilet
Size: **720x380x760** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8217
Washdown one-piece toilet
Size: **665x350x750** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8017
Washdown one-piece toilet
Size: **660x360x805** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8215
Washdown one-piece toilet
Size: **680x360x780** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in



8121
Washdown one-piece toilet
Size: **710x375x765** mm
P-trap, **180**mm roughing-in
S-trap, **250**mm roughing-in




8108
Siphonic one-piece toilet
Size: **690x375x775** mm
S-trap, **300/400**mm roughing-in






GP-051

Wall-hung basin
Size: **400x340x600** mm
Wall-hung installation




GP-052

Wall-hung basin
Size: **400x380x480** mm
Wall-hung installation




GP-053

Wall-hung basin
Size: **415x345x440** mm
Wall-hung installation




GP-054

Wall-hung basin
Size: **380x340x590** mm
Wall-hung installation




BG-001

Wall-hung basin
Size: **570x490x380** mm
Wall-hung installation




BG-002

Wall-hung basin
Size: **530x440x360** mm
Wall-hung installation




BG-009

Wall-hung basin
Size: **490x450x340** mm
Wall-hung installation




BG-005

Wall-hung basin
Size: **560x460x380** mm
Wall-hung installation




BG-018

Wall-hung basin
Size: **497x440x385** mm
Wall-hung installation



BG-019


Wall-hung basin
Size: **495x442x382** mm
Wall-hung installation






XS-0141

Art basin
Size: **400x400x110** mm
Above counter mounting




XS-0140A

Art basin
Size: **500x340x110** mm
Above counter mounting




XS-0140

Art basin
Size: **600x340x110** mm
Above counter mounting




XS-0129

Art basin
Size: **425x425x145** mm
Above counter mounting




XS-0130

Art basin
Size: **385x385x135** mm
Above counter mounting




XS-0131

Art basin
Size: **500x390x150** mm
Above counter mounting




XS-0182

Art basin
Size: **400x400x120** mm
Above counter mounting




XS-0183

Art basin
Size: **500x380x120** mm
Above counter mounting




XS-0184

Art basin
Size: **600x380x120** mm
Above counter mounting




XS-0133

Art basin
Size: **455x325x135** mm
Above counter mounting




XS-0134

Art basin
Size: **505x405x140** mm
Above counter mounting




XS-0103A

Art basin
Size: **570x450x120** mm
Above counter mounting




XS-0162

Art basin
Size: **415x420x125** mm
Above counter mounting




XS-0163

Art basin
Size: **505x425x125** mm
Above counter mounting




XS-0164

Art basin
Size: **600x420x125** mm
Above counter mounting




XS-0046

Art basin
Size: **510x430x150** mm
Above counter mounting




XS-0045A

Art basin
Size: **410x420x155** mm
Above counter mounting




XS-0045B

Art basin
Size: **460x460x160** mm
Above counter mounting







XS-0193
Art basin
Size: **360x360x110** mm
Above counter mounting




XS-0012A
Art basin
Size: **400x400x150** mm
Above counter mounting




XS-0012
Art basin
Size: **420x420x160** mm
Above counter mounting




XS-0063
Art basin
Size: **480x370x130** mm
Above counter mounting




XS-0191
Art basin
Size: **540x430x170** mm
Above counter mounting




XS-0101
Art basin
Size: **460x260x120** mm
Above counter mounting




XS-0195
Art basin
Size: **360x360x120** mm
Above counter mounting




XS-0007
Art basin
Size: **555x345x140** mm
Above counter mounting




XS-0032
Art basin
Size: **600x420x140** mm
Above counter mounting




XS-0013
Art basin
Size: **430x430x170** mm
Above counter mounting




XS-0014
Art basin
Size: **380x380x150** mm
420x420x170 mm
Above counter mounting




XS-0038
Art basin
Size: **480x370x130** mm
Above counter mounting




XS-0031A
Art basin
Size: **480x330x150** mm
Above counter mounting



XS-0031B
Art basin
Size: **600x400x150** mm
Above counter mounting




XS-0010
Art basin
Size: **400x400x140** mm
460x460x155 mm
Above counter mounting





F-0011

Above counter basin
Size: **510x450x190** mm
Above counter mounting




F-0013

Above counter basin
Size: **560x460x200** mm
Above counter mounting




F-0007

Above counter basin
Size: **470x410x190** mm
Above counter mounting




F-0020A

Above counter basin
Size: **460x460x210** mm
Above counter mounting




F-0021

Above counter basin
Size: **600x400x200** mm
Above counter mounting



F-0022

Above counter basin
Size: **580x410x170** mm
Above counter mounting



F-0026

Under counter basin
Size: **500x420x195** mm
Under counter mounting



F-0027

Under counter basin
Size: **470x390x190** mm
Under counter mounting




F-0029

Under counter basin
Size: **565x430x190** mm
Under counter mounting




F-0033

Above counter basin
Size: **560x380x180** mm
Under counter mounting




F-0034

Above counter basin
Size: **610x400x200** mm
Under counter mounting



F-0035

Under counter basin
Size: **610x420x200** mm
Under counter mounting




F-0036

Under counter basin
Size: **530x370x200** mm
Under counter mounting




F-0039

Under counter basin
Size: **510x380x180** mm
Under counter mounting



F-0040

Under counter basin
Size: **470x350x200** mm
Under counter mounting





PLWOOD

BATHROOM CABINET

追求对木纹的极致体验，
把大自然最真实的一面体现到产品上面
即使抚摸着，也如沐春风一般


THE PURSUIT OF THE ULTIMATE EXPERIENCE OF WOOD GRAIN.
THE MOST REALISTIC SIDE OF NATURE IS REFLECTED IN THE PRODUCT
EVEN WHEN TOUCHING, IT IS LIKE A SPRING BREEZE








F-5074 LED

主柜 /Main Cabinet : 800x500mm ¥ 1400
 镜子 /Mirror : 700x900mm ¥ 720
 陶瓷盆 / Wash Basin





F-5075 LED

主柜 /Main Cabinet : 800x500mm ¥ 1200
 镜子 /Mirror : 700x900mm ¥ 720
 陶瓷盆 / Wash Basin



8715-100 ¥ 820
 主柜 /Main Cabinet: 1000x500x450mm
 镜柜 /Mirror Cabinet: 950x750x170mm
 多层实木板 /Plywood
 陶瓷盆 /Wash Basin

8715-80 ¥ 720
 主柜 /Main Cabinet: 800x500x450mm
 镜柜 /Mirror Cabinet: 750x750x170mm
 多层实木板 /Plywood
 陶瓷盆 /Wash Basin





F-5127

Main Cabinet : 800x465mm
Mirror : 750x700mm
Wash Basin



F-5128

Main Cabinet : 600x465mm
Mirror : 550x700mm
Wash Basin




F-5150

Main Cabinet : 800x420x580mm

Mirror : 800x700mm

Wash Basin




F-5117

Main Cabinet : 600x420x580mm



Mirror : 500x700mm

Wash Basin





F-5076
F-5077 LED
 Main Cabinet : 1000x500mm
 Counter tops : 1000x500mm
 Mirror Cabinet : 900x700mm
 Sintered Stone: Arabescato Corchia




F-5078
F-5079 LED
 Main Cabinet : 800x500mm
 Counter tops : 800x500mm
 Mirror Cabinet : 800x700mm
 Sintered Stone: Arabescato Corchia






F-5145
F-5146 LED

Main Cabinet : **1000x500**mm
Counter tops : **1000x500**mm
Mirror Cabinet : **900x700**mm
Sintered Stone: Arabescato Corchia



F-5147
F-5148 LED


Main Cabinet : **800x500**mm
Counter tops : **800x500**mm
Mirror Cabinet : **800x700**mm
Sintered Stone: Arabescato Corchia






T-9574

Main Cabinet : 800x470mm
Mirror Cabinet : 800x630mm
Wash Basin




T-9576

Main Cabinet : 800x470mm
Mirror Cabinet : 800x650mm
Wash Basin



T-9578



Main Cabinet : 600x470mm
Mirror Cabinet : 500x700mm
Wash Basin





T-90120
Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Arabescato Corchia

T-90140
Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Arabescato Corchia



T-9060
Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Arabescato Corchia

T-9070
Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Arabescato Corchia

T-9080
Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Arabescato Corchia

T-9090
Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Arabescato Corchia


T-90100
Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Arabescato Corchia





T-105120

Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Italy Light Grey




T-105140

Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Italy Light Grey

T-10560

Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Italy Light Grey



T-10570

Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Italy Light Grey

T-10580

Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Italy Light Grey



T-10590

Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Italy Light Grey

T-105100

Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Italy Light Grey





T-108120

Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Stone Black

T-108140

Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Stone Black



T-10860

Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Stone Black

T-10870

Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Stone Black

T-10880

Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Stone Black

T-10890

Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Stone Black

T-108100

Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Stone Black





BATHROOM FAUCETS

5
YEARS

LIFETIME QUALITY GUARANTEE

For 5 years lifetime quality guarantee, if broken, new sample will send to you for free



FLAWLESS FINISH

For corrosion & Rust resistance, It will like a new one after a long time using



ECO LEAD FREE MATERIAL

For maximum durable & health, Use superior stainless steel 304 or lead free material.



HIGH-END AERATOR

For perfect flow & eco-friendly Strong water flow but with no splash



CERTIFICATED CARTRIDGE

For lifetime free of drips and leaks



EASY Fit

Easy fit connection make fitting quick and easy



PEX WATERLINE

For easier installation and maximum healthy and safety



DT-0501
Basin mixer
Material: Brass



DT-0501B
Basin mixer
Material: Brass



DT-0502
Basin mixer
Material: Brass



DT-0502B
Basin mixer
Material: Brass



DT-0501GA
Basin mixer
Material: Brass



DT-0501G
Basin mixer
Material: Brass




DT-0502GA
Basin mixer
Material: Brass




DT-0502G
Basin mixer
Material: Brass




DT-0509
Concealed basin mixer
Material: Brass




DT-0508
Concealed basin mixer
Material: Brass




DT-0507
Kitchen faucet
Material: Brass




DT-0510
Bathtub mixer
Material: Brass




DT-0505
Shower faucet
Material: Brass




DT-0506
Shower faucet
Material: Brass



DT-0503
Shower set
Material: Brass



DT-0504
Shower set
Material: Brass





DT-1101
Basin mixer
Material: Brass



DT-1101B
Basin mixer
Material: Brass



DT-1101G
Basin mixer
Material: Brass



DT-1101G
Basin mixer
Material: Brass



DT-1102
Basin mixer
Material: Brass



DT-1102B
Basin mixer
Material: Brass




DT-1102GA
Basin mixer
Material: Brass




DT-1102G
Basin mixer
Material: Brass




DT-1108
Concealed basin mixer
Material: Brass




DT-1103
Concealed basin mixer
Material: Brass




DT-1107
Kitchen faucet
Material: Brass




DT-1109
Bathtub mixer
Material: Brass




DT-1113
Shower faucet
Material: Brass




DT-1114
Shower faucet
Material: Brass



DT-1115
Shower faucet
Material: Brass




DT-1120
Bath shower floor standing mixer
Material: Brass






DT-5701

Basin mixer
Material: Brass




DT-5702

Basin mixer
Material: Brass





DT-5703

Kitchen faucet
Material: Brass




DT-5704

Concealed basin mixer
Material: Brass





DT-5705

Shower faucet
Material: Brass



DT-5707

Shower faucet
Material: Brass




DT-5708


Shower set
Material: Brass




FDT-3307
Kitchen mixer
Material: Brass




FDT-3305
Basin mixer
Material: Brass




FDT-3303
Shower mixer
Material: Brass



FDT-3306
Basin mixer
Material: Brass



FDT-3304
Shower mixer
Material: Brass





FBM-724

Basin mixer
Material: Brass



FBM-724GA

Basin mixer
Material: Brass



FBM-726

Basin mixer
Material: Brass



FBM-726GA

Basin mixer
Material: Brass



FBM-727

Basin mixer
Material: Brass



FBM-727GA

Basin mixer
Material: Brass



FBM-729

Basin mixer
Material: Brass




FBM-729GA


Basin mixer
Material: Brass




GJ-0501
Single towel bar
Material: SUS304




GJ-0502
Double towel bar
Material: SUS304




GJ-0503
Towel shelft
Material: SUS304




GJ-0504
Glass shelf
Material: SUS304




GJ-0505
Single glass holder
Material: SUS304




GJ-0507
Soap dish holder
Material: SUS304





GJ-0509
Paper holder
Material: SUS304




GJ-0510
Robe hook
Material: SUS304




GJ-0511
Towel ring
Material: SUS304



GJ-0513
Bathroom basket
Material: SUS304



GJ-0512
Toilet brush holder
Material: SUS304





GJ-0501G

Single towel bar
Material: SUS304



GJ-0502G

Double towel bar
Material: SUS304



GJ-0503G

Towel shelf
Material: SUS304



GJ-0501B

Single towel bar
Material: SUS304



GJ-0502B

Double towel bar
Material: SUS304



GJ-0503B

Towel shelf
Material: SUS304



GJ-0504G

Glass shelf
Material: SUS304



GJ-0505G

Single glass holder
Material: SUS304



GJ-0507G

Soap dish holder
Material: SUS304



GJ-0504B

Glass shelf
Material: SUS304



GJ-0505B

Single glass holder
Material: SUS304



GJ-0507B

Soap dish holder
Material: SUS304



GJ-0509G

Paper holder
Material: SUS304



GJ-0510G

Robe hook
Material: SUS304



GJ-0511G

Towel ring
Material: SUS304



GJ-0509B

Paper holder
Material: SUS304



GJ-0510B

Robe hook
Material: SUS304



GJ-0511B

Towel ring
Material: SUS304



GJ-0513G

Bathroom basket
Material: SUS304



GJ-0512G

Toilet brush holder
Material: SUS304



GJ-0513B

Bathroom basket
Material: SUS304




GJ-0512B


Toilet brush holder
Material: SUS304




GJ-1101
Single towel bar
Material: SUS304




GJ-1102
Double towel bar
Material: SUS304




GJ-1103
Towel shelft
Material: SUS304




GJ-1104
Glass shelf
Material: SUS304




GJ-1105
Single glass holder
Material: SUS304




GJ-1107
Soap dish holder
Material: SUS304




GJ-1112
Paper holder
Material: SUS304




GJ-1110
Robe hook
Material: SUS304




GJ-1111
Towel ring
Material: SUS304



GJ-1115
Paper holder
Material: SUS304



GJ-1114
Toilet brush holder
Material: SUS304





GJ-1101B
Single towel bar
Material: SUS304

GJ-1103B
Towel shelft
Material: SUS304

GJ-1110B
Robe hook
Material: SUS304



GJ-1101G
Single towel bar
Material: SUS304

GJ-1103G
Towel shelft
Material: SUS304

GJ-1110G
Robe hook
Material: SUS304



GJ-1112B
Paper holder
Material: SUS304

GJ-1115B
Paper holder
Material: SUS304



GJ-1114B
Toilet brush holder
Material: SUS304




GJ-1112G
Paper holder
Material: SUS304

GJ-1115G
Paper holder
Material: SUS304


GJ-1114G
Toilet brush holder
Material: SUS304





FD-866
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-867
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-868
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-869
地漏
Floor drainage
Material: SUS304
尺寸 /Size**150x150**mm




FD-801
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-817
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-870
地漏
Floor drainage
Material: SUS304
尺寸 /Size**90x90**mm




FD-871
地漏
Floor drainage
Material: SUS304
尺寸 /Size**90x90**mm




FD-864
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-865
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-872
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-879
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm




FD-875
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm




FD-876
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm




FD-873
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm



FD-877
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm




FD-874
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x80**mm **600x80**mm




FD-878
地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x80**mm **600x80**mm




HP-02
喷枪
Spray shower
Material: 塑料 /Plastic




HP-09
喷枪
Spray shower
Material: 塑料 /Plastic




HP-11
喷枪
Spray shower
Material: 塑料 /Plastic




DP-001BR
喷枪
shower Set
Material: SUS304




HP-05
喷枪
Spray shower
Material: 塑料 /Plastic




DP-002BR
喷枪
shower Set
Material: SUS304



HP-06
喷枪
Spray shower
Material: 塑料 /Plastic



DP-003BR
喷枪
shower Set
Material: SUS304





HP-12
喷枪
Spray shower
Material: Brass




HP-12B
喷枪
Spray shower
Material: Brass



HP-12G
喷枪
Spray shower
Material: Brass



HP-12GA
喷枪
Spray shower
Material: Brass



HP-13
喷枪
Spray shower
Material: Brass




HP-13B
喷枪
Spray shower
Material: Brass



HP-13G
喷枪
Spray shower
Material: Brass



HP-13GA
喷枪
Spray shower
Material: Brass



HP-15
淋浴弯头
shower elbow
Material: A 级铜 /Brass




HP-15B
淋浴弯头
shower elbow
Material: A 级铜 /Brass



HP-15G
淋浴弯头
shower elbow
Material: A 级铜 /Brass



HP-15GA
淋浴弯头
shower elbow
Material: A 级铜 /Brass



HP-17
淋浴弯头
shower elbow
Material: A 级铜 /Brass




HP-17B
淋浴弯头
shower elbow
Material: A 级铜 /Brass




HP-17G
淋浴弯头
shower elbow
Material: A 级铜 /Brass




HP-17GA
淋浴弯头
shower elbow
Material: A 级铜 /Brass







FJF-042
角阀
Angle valve
Material: Brass




DJF-001
角阀
Angle valve
Material: SUS304




DJF-004
角阀
Angle valve
Material: SUS304




DJF-010BR
角阀
Angle valve
Material: SUS304




DJF-013
角阀
Angle valve
Material: SUS304




DJF-015BR
角阀
Angle valve
Material: SUS304




JF-046
角阀
Angle valve
Material: Brass




JF-012
角阀
Angle valve
Material: Brass




JF-047
角阀
Angle valve
Material: Brass




DJF-016BR
角阀
Angle valve
Material: SUS304




DJF-017BR
角阀
Angle valve
Material: SUS304




DJF-018BR
角阀
Angle valve
Material: SUS304



FJF-030
角阀
Angle valve
Material: Brass



FJF-030BR
角阀
Angle valve
Material: Brass



FJF-036
角阀
Angle valve
Material: Brass



FOREIGN CASES /

Build a First-class
International Brand with the
Quality of German Seiko



OUR PROJECT



◆ Dahiyat Al Fursan 2 city > 718 residential units

A new landmark city in Riyadh, Dahiyat Al Fursan is located in north easternRiyadh only 14km away from Riyadh Airport. The development will be built over a 35 million square-meter of land, providing more than 50,000 housing units of various sizes and designs, all within an integrated residential community offering high-end services and facilities.



OUR PROJECT



◆ SarayaAl Fursan > 825 residential units
Saraya Al Fursan is a new project that aims to boost the supply of quality housing units that Dahiyat Al Fursan city seeks to provide. Accommodating between 400,000 and 450,000 residents.



OUR PROJECT



◆ SarayaAl Bahar > 425 residential units
One of the most recent projects developed by Dar Wa Emaar, Saraya AlBahar combined the modern lifestyle and the quiet environment andinspiring desians In addition to its strategic location Close to the mainand secondary road network of Qatif, Awamiya and Jubail, The projectextends over an area of 417.310 square meters.



OUR PROJECT



◆ NEOM RESIDENTIAL COMMUNITY 9 (NRC-9)



OUR PROJECT



◆ AL MUHANNADIYA –JEDDAH

The National Housing Company (NHC) was established in 2016 under Royal Decree No. 7262, dated 8/2/1437AD to be the investment arm of the initiatives and programs of the Ministry of Municipal and Rural Affairs and Housing in the real estate, residential and commercial sectors. Then the company came under state ownership in May of the year 2020, after which it entered a new stage in its journey and became an effective enabler of solutions for the Saudi real estate market.

OUR PROJECT



OUR PROJECT



◆ ROSHN SEDRA



OUR PROJECT



OUR PROJECT



◆ SAUDI RIYADH HOSPITAL

Riyadh is the capital and largest city of Saudi Arabia, the capital of the province of Riyadh. As the largest ospital in Riyadh, its completion will be one of the most important milestones in Saudi medical history.

