SILKROAD BUILDING MATERIAL PROJECT SERVICE CO., LTD

Email: sr@silkroadbuild.com

WEB: www.silkroadbuild.com

Add: Kind Abdulaziz Rd, Al Aarid, Riyadh 13332,
KSA Silk Road Arabia Building Material LLC

VISION رؤيـــة 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

Global Construction Building Material Solution

Silkroad Building

Material Project Service Co., Ltd.

Silkroad Building Material Project Service Co., Ltd. (“Silkroad”) is a professional project service platform for building materials established in Riyadh, the capital of Saudi Arabia. The platform aims to integrate the most competitive building material supply chain resources in China and to build the most professional and efficient souring, supply and service platform for multiple types of building materials, including sanitary ware, ceramic tile, door, window, kitchen cabinet, lighting fixture, etc. Backed by the mature supply chain in China and direct supply from manufacturers, Silkroadbm is capable of offering products with good quality and competitive prices efficiently. With a professional service team based in Saudi Arabia, the platform provides one-stop sourcing, supply and after-sales services. The co-founders of Silkroadbm are all experienced building material supply chain experts and factory owners in China, who have extensive successful track record in building material supply and construction projects, and fully understand the supply market and competition landscape in China. We can quickly screen suppliers, integrate resources and provide the most cost-effective and high-quality products based on customer needs. The team has rich experience in overseas sales and project services, having serviced in dozens of countries covering Europe, North America, the Middle East and Southeast Asia. The products have obtained quality certifications such as SASO for the Middle East, CE for Europe, TISI for Thailand, KSA for South Korea, CUPC for the North America and ISO9001. Silkroadbm will actively participate in the Saudi Vision 2030 development journey, and strive to make unique contribution to the construction development of Saudi Arabia

OUR PRODUCTS

Categories as Lifestyle Curations

DESIGN IS THE LANGUAGE
BETWEEN PRODUCTS AND HUMANS

MARBLE & TILE

LED DISPLAY SCREEN

SANITARY WARE

KITCHEN CABINET
WARDROBES

WPC Door & Wood Door

ALUMINIUM
WINDOW & DOOR

FURNITURE

PAINTING

Turn the page to discover the next dimension ➔

Our Showroom

Global Construction
Building Material Solution

Certificate & Test Report

CE FOR SANITARY WARE

CUPC FOR SANITARY WARE

SANITARY WARE ISO

DOOR CE CERTIFICATION

LUMINAIRE 3C CERTIFICATE

SILKROAD CR 2025

Certificate & Test Report

LUMINAIRE ISO CERTIFICATE

DOOR FACTORY ISO

DOOR FACTORY CNAS

DOOR FACTORY FSC

DOOR FACTORY BSCI

DOOR FACTORY UL

Certificate & Test Report

DOOR FACTORY SGS

DOOR FACTORY SMETA

SILKROAD MISA LICENSE

NATIONALIZATION CERTIFICATE

SILKROAD VAT CERTIFICATE

SILKROAD ZATCA CERTIFICATE

Certificate & Test Report

NATIONAL ADDRESS

MARBLE & TILE FACTORY ISO

MARBLE & TILE FACTORY ISO

MARBLE & TILE FACTORY ISO

MARBLE & TILE FACTORY SASO

MARBLE & TILE FACTORY SASO

Certificate & Test Report

TOILET CERTIFICATE FOR WATER RATIONALIZATION LABEL

BASIN MIXER CERTIFICATE FOR WATER RATIONALIZATION LABEL

KITCHEN MIXER CERTIFICATE FOR WATER RATIONALIZATION LABEL

SHOWER SET CERTIFICATE FOR WATER RATIONALIZATION LABEL

HP01 HAND SPRAYER CERTIFICATE FOR WATER RATIONALIZATION LABEL

CONCEALED CISTERN

Certificate & Test Report

CERAMIC TILE FACTORY TEST REPORT

CERAMIC TILE FACTORY TEST REPORT

SHOWER TEST REPORT

FAUCET (WATER NOZZLE) TEST REPORT

BASIN TEST REPORT

ONE PIECE TOILET TEST REPORT

Furniture Factory

Fine and Advanced Machines to ensure the high quality

Furniture Factory

Wooden tank production line

Ceramic tile Factory

600000m^2	**200000**m^2/day

Ceramic tile Factory

ITALIAN SACMI 7800T pressing machine

60000m²
Intelligent Manufacturing Base

200000m²
Annual Production Capacity

30000m²
Aging Line Monthly Aging Capacity

300M POINTS+
High-Speed SMT Mounters
Monthly Capacity

100M POINTS+
Fully Automated Plug-in
Machines Monthly Capacity

Aluminum Profile Factory



the company covers an area of 160,000 square meters。We can produce more than 100,000 tons of aluminum profiles and more than 200,000 square meters of door,window and curtain wall every year.

160000m^2
100000t
200000m^2

Aluminum Profile Factory

Door Factory

Silkroad Door Factory is one professional manufacturer for specializing in WPC door by 10 years, Now we have our sales team and own showroom in saudi arabia, Our factory pass the ISO9001、CE、SASO certificate, We also have our own installation team in saudi arabia.

400+
staff
Worker

50000+m²
Area
Factory

50000+
Pcs/Month
Production

Ceramic Toilet & Wash Basin Factory

100000 m^2	200 Staff

Bathroom Cabinet Factory

150000 m^2	450 Staff

Painting Factory

Painting Factory



36000 m^2	**200000**t

WHOLE HOUSE CUSTOMIZATION

A1 Series

伯恩本色樱桃

华丽绽放茶玻

流金岁月

肤哑梵高星空

青城灰

2039 轻奢铝框门

FY03 流行拉手

PF08-A10 拉手

A2 Series

盐湖白



贝莱苏米灰

超哑黑橡直纹

潘多拉星空石

ARCHITECTURE

In the collision of black and gray, the decoration of the wall is infused with a trace of vitality, and the open metal decorative cabinet is matched with the door cabinet, which meets the storage from the function.



梨花白哑光

米白色 logo

维克尔灰橡



豆绿哑光

KQ013-A14 暗拉手

立柱衣帽间

轻奢铝框门

舒适且随性的卧室像用岁月写出来的一首诗，带着质朴的气息，又被温柔所包裹

The comfortable and casual bedroom is like a poem written with years, with a rustic atmosphere, and is wrapped in tenderness

A4 Series



盐湖白

贝莱苏米灰

超哑黑橡直纹

A5 Series



白色(高光)

贝莱苏米灰

超哑黑橡直纹

白色(高光)

A6 Series

盐湖白



超哑黑橡直纹

鱼肚白

超哑黑橡直纹

盐湖白

贝莱苏米灰

雪花白

SIMPLICITY MEETS SOPHISTICATION, FUNCTION EMBRACES FASHION

A8 Series

盐湖白



白色

大理石

PRODUCT FEATURES

Waterproof
-Waterproof
-Moistureproof

Anti-Termites
-Anti-Worm
-Anti Termite

Environmentally Friendly
-eco-friendly Material
-formaldehyde Levels:E1
-recycled Material

Customized
-Color and design
-Hinge hole
-Lock hole
-Carton box

Easy Installation
-4 screws connection
-Saving labor time
-Saving cost

Fast Delivery
-Faster than competitor

Better life
-The Noise Reduction

FULL WPC DOOR-PAINTING

Waterproof
-Waterproof
-Moistureproof

Anti-Termites
-Anti-Worm
-Anti Termite

Fast Delivery

Sound Proof



Environmentally Friendly
-Eco-friendly Materia
-Formaldehyde Levels:e1
-Recycled Material

Customized
-Colorand design
-Hinge hole
-Lock hole
-ODM&DEM

Easy Installation
-4screws connection
-Saving labor time



WPC DOOR PANEL TYPE

40MM WPC DOOR

Door panel Size



45MM WPC DOOR

Door panel Size



WD-101
Name: WPC Door

WD-102
Name: WPC Door



WD-103
Name: WPC Door

WD-104
Name: WPC Door

WD-105
Name: WPC Door

WD-106
Name: WPC Door

WD-107
Name: WPC Door

WD-108
Name: WPC Door

WD-114
Name: WPC Door

WD-115
Name: WPC Door

WD-116
Name: WPC Door

WD-117
Name: WPC Door

WD-118
Name: WPC Door

WD-119
Name: WPC Door

WD-120
Name: WPC Door

WD-121
Name: WPC Door



WD-122
Name: WPC Door



WD-123
Name: WPC Door

WD-124
Name: WPC Door

WD-125
Name: WPC Door

WD-139
Name: WPC Door

WD-141
Name: WPC Door



WD-140
Name: WPC Door

WD-142
Name: WPC Door

WD-143
Name: WPC Door

WD-144
Name: WPC Door

WD-145
Name: WPC Door

WD-146
Name: WPC Door

WD-147
Name: WPC Door

WD-148
Name: WPC Door

WD-149
Name: WPC Door

WD-150
Name: WPC Door

WD-151
Name: WPC Door

WD-152
Name: WPC Door

WD-153
Name: WPC Door

WD-154
Name: WPC Door

WD-155
Name: WPC Door

WD-156
Name: WPC Door

WD-157
Name: WPC Door

WD-158
Name: WPC Door

WD-159
Name: WPC Door

WD-160
Name: WPC Door

WD-161
Name: WPC Door

WD-162
Name: WPC Door

WD-163
Name: WPC Door

WD-164
Name: WPC Door

WD-165
Name: WPC Door

WD-166
Name: WPC Door

WD-167
Name: WPC Door

WD-168
Name: WPC Door

WD-169
Name: WPC Door

WD-170
Name: WPC Door

WD-173
Name: WPC Door

WD-174
Name: WPC Door

WPC BATHROOM DOOR

WD-300
Name: WPC Bathroom Door

WD-301
Name: WPC Bathroom Door

WD-302
Name: WPC Bathroom Door

WD-303
Name: WPC Bathroom Door



WPC SPLICED DOOR

250/400mm
Full WPC Assembly panel

WPC PU foam panel

900*35mm
Full WPC panel

WD-400
Name: WPC Spliced Door

WD-401
Name: WPC Spliced Door

WD-402
Name: WPC Spliced Door

WD-403
Name: WPC Spliced Door

WD-404
Name: WPC Spliced Door

WD-405
Name: WPC Spliced Door

WD-406
Name: WPC Spliced Door

WD-407
Name: WPC Spliced Door

WD-408
Name: WPC Spliced Door

WD-409
Name: WPC Spliced Door

WD-410
Name: WPC Spliced Door

WD-411
Name: WPC Spliced Door

DL-100G
Name: Door Lock



DL-100
Name: Door Lock

DL-100GR
Name: Door Lock

DL-100B
Name: Door Lock

DL-101B
Name: Door Lock



DL-101
Name: Door Lock

DL-101GR
Name: Door Lock

DL-101G
Name: Door Lock

DL-101AB
Name: Door Lock

DL-102
Name: Door Lock



DL-102GR
Name: Door Lock

DL-102G
Name: Door Lock

DL-102AB
Name: Door Lock

DL-103B
Name: Door Lock



DL-103
Name: Door Lock

DL-103GR
Name: Door Lock

DL-103G
Name: Door Lock

DL-103AB
Name: Door Lock

DL-104
Name: Door Lock



DL-104B
Name: Door Lock

DL-104GR
Name: Door Lock

DL-104G
Name: Door Lock

DL-105
Name: Door Lock



DL-105B
Name: Door Lock

DL-105GR
Name: Door Lock

DL-105G
Name: Door Lock

DL-105AB
Name: Door Lock

LOCK BODY SERIES

LB-100
Name: Magnetic lock body

LB-101
Name: Heavy spring lock body

LB-102
Name: Magnetic lock body

LB-103
Name: Magnetic lock body

LB-104
Name: Door Body

LB-105
Name: Door Body

MEASUREMENT METHODS FOR WOODEN DOOR FRAME COVERS



height width thickness

The three dimensions required for measuring the door opening:The measurement of the opening size is based on the completion of groundtreatment (tiles and flooring have been laid) and wall painting. For height and width, take the minimum values at three positions; for wall thickness, take themaximum value at three positions. The calculation method for the frame isbased on the door opening: subtract 1cm from the height. Reduce by 2cm

MEASUREMENT METHODS FOR IRREGULAR WALLS

Normal door opening

Measurementmethod for T-shaped walls Schematic diagram of adding T-shaped wall false wall

Measurement method forL-shaped wallsSchematic diagramofaddingL-shaped wall false wall



The red parts are the added false wall piers, which facilitate the installation and fixationof the wooden doorframe panels.

The thickness of the false wall is 3.5 to 4cm and its width is the same as that of the other wallIt is recommended to use wooden boards to make the false wall.When measuring the width of the door opening, just reserve the thickness of the false wall.The height and thickness were measured normally.

DIRECTION OF OPENING THE DOOR

LEFT LOCKED
right inward-opening

LEFT LOCKED
right outward opening

RIGHT LOCK
left outward opening

RIGHT LOCK
left inward-opening

Ceramic Tile

- Anti-skid protective layer
- When stained, it can be easily erased by wiping with a rag
- The tip of the knife can't make a mark on the tile
- Environmental protection and health
- The texture is clear, the texture is fine and full



Model:

SNA-63001

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Layout Display

Model:

SNA-63002

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Model:

SNA-63003

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-63004

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63005

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-63006

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63007

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display



Layout Display

Panoramic space display

Model:

SNA-63008

Design faces: 4
Surface: polishing
Size: 300x600x9.3mm

Model:

SNA-63009A

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63010A

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-63012

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63011A

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63013

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63014

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-63017

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63018

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63023

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63024

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63044

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63045

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63046

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63047

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63027

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63028

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63029

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63030

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63031

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Layout Display

Panoramic space display

Model:

SNA-M63032

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Layout Display

Panoramic space display

Model:

SNA-M63035

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-M63036

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63037

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-M63038

Design faces: 3

Surface: Matt

Size: 300x600x9.3mm

Layout Display

Panoramic space display

Model:

SNA-M63041

Design faces： 4

Surface：Matt

Size：300x600x9.3mm

Layout Display

Panoramic space display

Model:

SNA-63048

Design faces： 3

Surface：polishing

Size：300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63057

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-63058

Design faces: 3
Surface: polishing
Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-63060

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-M63059

Design faces: 2

Surface: Matt

Size: 300x600x9.3mm

Layout Display

Panoramic space display

Layout Display

Model:

SNA-48001

Design faces： 3

Surface：polishing

Size：300x600x9.3mm

Panoramic space display

Model:

SNA-48002

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48003

Layout Display

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Model:

SNA-48004

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48005

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48006

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display



Model:

SNA-48007

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48008

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48009

Layout Display

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Model:

SNA-48010

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48011

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48012

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48013

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48014

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Model:

SNA-48016

Design faces: 3

Surface: polishing

Size: 300x600x9.3mm

Panoramic space display

Layout Display

Aluminum Product

A door with many colors
Mastering different styles

Aviation grade aluminum
Super thick and strong

Mechanical spraying
Oil resistant and easy to clean

Excellent sound insulation
Outside noise, indoor tranquility

Safety glass
both impact and burst resistance, excellent performance

quality metal products
Made from premium materials ensuring robustness.

CURTAIN
WALL SERIES

85 SERIES FOLDING DOOR

Technical Parameters:

Frame thickness：2.0mm

Size rang:

Sash width:500mm-950mm Sash height：1200mm-3500mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

14.8mm

Product function:

folding door

Product description:

1, Multi-folding design with oversized opening,provides a clear and wide view.

2, It is equipped with an anti-pinch design for safety and reliability.

3, This series can be partially opened or fully expanded as needed for versatile and flexible adjustments

4, When closed it provides effective sound insulation and sealing performance.

5,It has hidden hinges for better aesthetics

6, It is available in both inside and outside folding options to fit more spaces.



85 SERIES FOLDING DOOR METHOD 24 CONFIGURATIONS

[ODD FOLD +0] 4 KINDS: 1+0, 3+0, 5+0, 7+0
[ODD FOLD + ODD FOLD] 6 KINDS: 1+1, 3+1, 5+1, 3+3, 5+3, 7+1
[EVEN FOLD +0] 4 KINDS: 2+0, 4+0, 6+0, 8+0
[EVEN FOLD + ODD FOLD] 6 KINDS: 2+1, 2+3, 4+1, 4+3, 5+2, 6+1,
[EVEN FOLD + EVEN FOLD] 4 KINDS: 2+2, 4+2, 4+4, 6+2

90 SERIES SYSTEM FOLDING DOOR

Technical Parameters:

Frame thickness：2.0mm

Size rang:

Sash width:500mm-950mm Sash height：1200mm-3500mm

Glass specification:

5+27A+5 double tempered insulating glass

Heat insulation strip:

24mm

Product function:

Folding door

Product description:

1, Folding design, 100% full opening, effective space saving, more open view

2, It adopts tempered hollow glass design, which effectively reduces noise and achieves the best sound insulation effect

3, It is equipped with high-quality sliding rails, folds easily and smoothly, and is durable.

4, Door hinge are flexible and can be customized according to needs

5, It is available in both inside and outside folding options to fit more spaces.



90 SERIES FOLDING DOOR FOLDING METHOD 10 CONFIGURATIONS

[ODD FOLD +0] 4 KINDS: 1+0, 3+0, 5+0, 7+0

[ODD FOLD + ODD FOLD] 6 KINDS: 1+1, 3+1, 5+1, 3+3, 5+3, 7+1

60 SERIES FOLDING WINDOW

Technical Parameters:

Frame thickness：2.0mm

Size rang:

Sash width：500mm-800mm Sash height：500mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

20mm

Product function:

folding window

Product description:

1,Left and right can be freely folded, larger opening angle, better viewing and ventilation effect

2, Roller screens can be selected to meet the needs of mosquito protection and glare blocking.

3. Bridge cut-off design,has better heat and sound insulation,and can reach more energy-saving and environmental protection

4, Outer flat frame design drives no water and dust accumulation





OUTSIDE INSIDE





60 SERIES FOLDING WINDOW FREE FOLDING METHOD 7 CONFIGURATIONS

[EVEN FOLD +0] 4 KINDS: 2+0, 2+2, 2+2+2, 2+2+2+2 +2

[EVEN FOLD + ODD FOLD] 3 KINDS: 2+1, 2+2+1, 2+2+2+1

55 SERIES
HEAVY AMERICAN MANUEL WINDOW WITH VERTICAL FOLDING

Technical Parameters:
Wall thickness 1.2mm

Material:
Aluminum alloy

Opening mode:
Upholding handle to stop and sliding window

Accessories:
Coil spring

Section width of profile:
55mm

Maximum area:
7 square meters of single glass; Double glass 3.5 ㎡

Width limit:
Single glass ≤ 3 meters; Double glass ≤ 3 meters

Height limit:
Single glass ≤ 2.8 meters; Double glass ≤ 2.8 meters

Product description:
1, Small wall occupation design, meets the needs of more thinl wall thickness

2, Roller screens can be selected to meet the needs of mosquito protection and glare blocking.

3, Upper and lower folding opening design has a larger opening angle for better viewing and ventilation.

4, That this series is made of 6063 profiles, which has high quality, and is strong, durable, corrosion resistant.



Off state



On state





INSIDE

INSIDE

OUTSIDE





INSIDE

OUTSIDE



50 SERIES
CASEMENT WINDOW WITHOUT BRIDGE CUT-OFF

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:2.0mm

Size rang:

Sash width:450mm-750mm Sash height：750mm-1400mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:

Profile:thickness 1.8mm

Product function:

Outward opening window、awning

Product description:

1, 45 degree corner cleat with glue injection design has stable structure, elegant and smooth appearance lines

2, The sash is designed with beveled lines, revealing a sense of aesthetic design in fashionable simplicity.

3, Stainless steel load-bearing hardware, has safe and stable without deformation performances, and long service life

4, Standard 6+12A+6 hollow tempered glass,has good sound insulation, heat insulation, and better safety



75 SERIES
SYSTEM CASEMENT WINDOW

Technical Parameters:

Frame thickness: 1.8mm

Size rang:

Sash width:450mm-750mm Sash height：750mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

Profile:thickness 1.8mm

Product function:

Outward opening window、awning

Product description:

1. aesthetics design with simple smooth lines, to enhance the high-end taste

2. The window sash adopts a narrow edge design, which reduces the obstruction of the field of view, and has larger field of view space.

3, Concealed drainage system, hidden drainage holes enhances aesthetics, while enhances the effect of wind and tsunami prevention.

4, Window and screen are integrated, and at the same time it has better ventilation and anti-mosquito performance





INSIDE OUTSIDE



Non-steel mesh structure



OUTSIDE

INSIDE



Steel gauze structure

100 SERIES SYSTEM CASEMENT WINDOW

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:1.8mm

Size rang:

Sash width:500mm-750mm Sash height：800mm-1400mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

26mm

Product function:

Outward opening window、awning

Basic parameters:

Insulation performance:
Level 6

Wind pressure resistance performance:
Level 8

Watertightness performance:
Level 6

Sound insulation performance:
Level 4

Airtightness coefficient:
Level 4

Product description:

1, Reinforced wall thickness design has higher safety performance, higher wind pressure resistance

2, Split balanced Angle code injection process, improve the wind pressure resistance of the whole window and the overall safety performance

3. 20A hollow thickness effectively improves sound insulation, heat preservation and thermal insulation properties

4,Selected imported brand hardware, has quality assurance, longer lasting and durable









OUTSIDE



INSIDE



118 SERIES SYSTEM SLIDING WINDOW

Technical Parameters:

Profile:thickness:2.0mm local reinforcement:2.2mm

Size rang:

Sash width:600mm-2200mm Sash height: 1000mm-1400mm

Glass specification:

5+15A+5 double tempered insulated glass

Heat insulation strip:

24mm

Product function:

Lifting Window

Product description:

1, Adopting high-strength and high-quality aluminum alloy material structure design, is sturdy and durable

2, Bridge cut-off technology reduces heat conduction and provides excellent thermal and sound insulation.

3, Versatile design supports three-rail slidingl and can be customized according to needs

4, Multi-point locking system provides high anti-theft performance and security of use

5, Hidden Children code Locks, are safer and more beautiful



40 SERIES CASEMENT WINDOW

Technical Parameters:

Frame thickness：1.0mm

Size rang:

Sash width：300mm-750mm　Sash height：500mm-1300mm

Glass specification:

Single glazing 5mm Double glazing 5+9A+5

Product function:

Outswing , Awing

Product description:

1. Use the performance-well aluminum material with roughness structure
2. Thin&Light frame, expansive view, particularity use in narrow wall space
3. excellent outward appearance,special sash bevel design bring the strong visual impact

40 SERIES CASEMENT WINDOW

Assembly drawing of 40 series single-glazed casement windows



Assembly drawing of 40 series double-glazed casement windows



83 SERIES
AMERICAN MANUEL LIFTING SLIDING WINDOW

Technical Parameters:

Wall thickness; 1.5mm

Material:

Aluminum alloy

Opening mode:

Lift up and down

Accessories:

Coil spring

Product function:

Folding Window

Section width:

83mm

Maximum area:

Single glass 2.2㎡; Double glass 1.6㎡

Width limit:

Single glass ≤2.5 meters; Double glass ≤2.5 m

Height limit:

Single glass ≤1.8 m; Double glass ≤1.8 m

Product description:

1, When in the closed state, the frame wraps the sash design will be more stable,have higher wind pressure resistance.

2, Double-sided locking design for better sealing performance when closed.

3, When opened, the lift-pull sash design does not take up space in the room and provides better ventilation.

4. Bridge cut-off design,has better heat and sound insulation,and can reach more energy-saving and environmental protection

5, Nylon spring hardware drives smooth and effortless lifting and pulling.





INSIDE OUTSIDE





OUTSIDE



INSIDE

150SERIES PANORAMIC SLIDING DOOR

Technical Parameters:

Frame thickness:2.0mm

Size rang:

Sash width:600mm-5000mm Sash height:800mm-3500mm

Glass specification:

5+27A+5 double tempered insulated glass

Product description:

1, Micro-seam lower track design, compared with the traditional sliding track is more beautiful,and has better drainage performance

2,When in the closed state, the frame wraps the sash design will be more stable,have higher wind pressure resistance.

3,Double rows of customized stainless steel pulleys, with a load capacity of up to 1500kg for a single door.

4, Opening method can be selected by remote control motorized control

5, This series can be realized in the middle is fixed and both sides are sliding, or two sides are fixed and the middle is sliding

6. the thickness of frames is only 19mm， and has a wider view









50 SERIES CASEMENT WINDOW WITHOUT BRIDGE CUT-OFF

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:2.0mm

Size rang:

Sash width:450mm-750mm Sash height：750mm-1400mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:

Profile:thickness 1.8mm

Product function:

Outward opening window、awning

Product description:

1, 45 degree corner cleat with glue injection design has stable structure, elegant and smooth appearance lines

2, The sash is designed with beveled lines, revealing a sense of aesthetic design in fashionable simplicity.

3, Stainless steel load-bearing hardware, has safe and stable without deformation performances, and long service life

4, Standard 6+12A+6 hollow tempered glass,has good sound insulation, heat insulation, and better safety



87 SERIES SYSTEM WINDOW

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:1.8mm

Size rang:

Sash width:500mm-750mm Sash height：800mm-1400mm

Glass specification:

5+27A+5 double tempered insulating glass

Heat insulation strip:

35.3mm

Product function:

Inwards opening window

Basic parameters:

Insulation performance:
Level 7

Wind pressure resistance performance:
Level 9

Watertightness performance:
Level 7

Sound insulation performance:
Level 4

Airtightness coefficient:
Level 5

Product description:

1, Isothermal vertical with 35.3mm heat-insulating strips, effectively prevents heat transfer, and has excellent thermal insulation performance.

2, Split balanced Angle code injection process, improve the wind pressure resistance of the whole window and the overall safety performance

3, Provide fancy color custom design to break the traditional monotony and make the windows become the highlight of home decoration

4, 27A hollow thickness, which can select three-glass and two-cavity structure, greatly enhances the sound insulation and heat insulation performance.

5, Doors windows can be made, with glass protection integrated design,it looks noble and elegant and enhances the overall style of the home



97 SERIES SYSTEM WINDOW

Technical Parameters:

Frame thickness:1.8mm Reinforced thickness:1.8mm

Size rang:

Sash width: 500mm-750mm sash height: 800mm-1400mm

Glass specification:

Double inward opening: 5+24A+5 double tempered insulating glass；Single inward opening: 5+27A+5 double tempered insulating glass

Heat insulation strip:

35.3mm

Product function:

Inward opening window

Basic parameters:

Insulation performance:
Level 6

Wind pressure resistance performance:
Level 8

Watertightness performance:
Level 6

Sound insulation performance:
Level 4

Airtightness coefficient:
Level 4

Product description:

1, Isothermal vertical with 35.3mm heat-insulating strips, effectively prevents heat transfer, and has excellent thermal insulation performance.

2,The corner cleat injection process not only increases the structural stability of the window, but also improves the 5 major performance of the window.

3, Three-layers sealing with isothermal vertical line design, has excellent heat preservation and insulation performance

4, Standard with three glass and two chambers, optional 5+24A+5 double-layer hollow glass,it has better heat preservation and insulation effect

5, Adopting imported brand hardware, its quality can be assured， and it's more durable





OUTSIDE INSIDE







OUTSIDE



INSIDE

135 SERIES SYSTEM FLOATING WINDOW

Technical Parameters:

Frame thickness:1.4mm Reinforced thickness:2.2mm

Size rang:

Sash width 750mm-2500mm, Sash height 800mm-1300mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:

14.8mm

Product function:

Sliding window/door

Basic parameters:

Insulation performance:
Level 4

Wind pressure resistance performance:
Level 7

Watertightness performance:
Level 5

Sound insulation performance:
Level 3

Airtightness coefficient:
Level 4

Product description:

1, It doesn't take up much room space, has a large push-pull area, and is well-ventilated

2, Fixed below can be equipped with handrails to create a scenic recreational area

3,304 stainless steel diamond mesh which is Triple-rail design, applicable to a longer life, and anti-mosquito effect is remarkable.

4,The embedded design of the downward track effectively prevents the wind and rain from disturbing and improves the sealing performance of the doors and windows.







INSIDE OUTSIDE





INSIDE

OUTSIDE





135 SERIES SYSTEM SLIDING DOOR

Technical Parameters:

Frame thickness:1.4mm Reinforced thickness:1.4mm

Size rang:

Sash width 450mm-1000mm, Sash height 1000mm-2400mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:

14.8mm

Product function:

Sliding window/door

Basic parameters:

Insulation performance:
Level 3

Wind pressure resistance performance:
Level 7

Watertightness performance:
Level 4

Sound insulation performance:
Level 2

Airtightness coefficient:
Level 3

Product description:

1,Bridge cut-off sliding door has better thermal insulation performance

2,Adopting stainless steel shaft and carbon fiber pulleys, pushing and pulling for100,000 times isnot a problem,sliding smoothly and durably

3, High-rail track design for effective waterproofing

4, Hollow glass which is 5+15A+5 , has better sound insulation performance







INSIDE OUTSIDE



INSIDE



OUTSIDE

138 SERIES SYSTEM SLIDING WINDOW

Technical Parameters:

Frame thickness:1.4mm Reinforced thickness:2.2mm

Size rang:

Sash width: 750mm-2500mm Sash height: 800mm-1300mm

Glass specification:

5+15A+5 double tempered insulating glass

Heat insulation strip:

14.8mm

Product function:

Sliding window

Basic parameters:

Insulation performance:
Level 4

Wind pressure resistance performance:
Level 7

Watertightness performance:
Level 5

Sound insulation performance:
Level 3

Airtightness coefficient:
Level 4

Product description:

1, One-shaped anti-swing pulleys + anti-typhoon pulleys functional design, is more stable, more resistant to wind pressure

2, Frame with hidden fan structure,looks more simple and beautiful. Security and stability of the double can be guaranteed

3, Safety and light of new high-transparency diamond steel screen , all can be realized

4, Flow-break drainage design prevents rainwater back-up through the flow-break layer

5,Hidden Children code Locks, are safer and more beautiful



INSIDE OUTSIDE





OUTSIDE







INSIDE



INSIDE

OUTSIDE





185 SERIES PANORAMIC LIFTING DOOR

Technical Parameters:

Frame thickness:2.3mm Reinforced thickness:2.3mm

Size rang:

Sash width:750mm-2000mm Sash height：1800mm-2800mm

Glass specification:

5+20A+5 double tempered insulating glass

Heat insulation strip:

25.3mm

Product function:

Sliding window

Product description:

1, Reinforced wall thickness design has higher safety performance, higher wind pressure resistance

2, Gluing process improves frame stability and splice strength.

3, High-track floor drain design,is more conducive to the evacuation of rainwater drainage, and looks beautiful and practical

4, Modern minimalist design, combining practical functionality with innovative aesthetics





50 SERIES
CAMBER CASEMENT DOOR

Technical Parameters:

Frame thickness：1.4mm

Size rang:

Sash width：500mm-1400mm Sash height：350mm-750mm

Glass specification:

5+9A+5 double tempered insulated glass

Product function:

Casement door

Product description:

1. high strength aluminum alloy material, wind pressure resistance, good deformation resistance
2. Aesthetic design, simple and fashionable
3. flexible opening, conducive to air circulation
4. according to customer needs, to provide personalized size customization









120 SERIES OF NON-BROKEN BRIDGE SLIDING DOOR

Technical Parameters:

Frame thickness：2.0mm

Size rang:

Sash width：500mm-2000mm Sash height：600mm-2800mm

Glass specification:

5+12A+5 double tempered insulated glass

Product function:

Sliding door

Product description:

1. High quality pulley system, quiet and smooth pushing and pulling
2. thickened profile design, to ensure the strength of the frame stable
3. large area lighting design, wide vision
4. suitable for balcony, kitchen, living room partition and other occasions







INSIDE OUTSIDE

OUTSIDE



INSIDE







OUTSIDE



INSIDE

120 SERIES OF NON-BROKEN BRIDGE SLIDING DOOR

Technical Parameters:

Frame thickness：2.0mm

Size rang:

Sash width：500mm-2000mm Sash height：600mm-2800mm

Glass specification:

5+12A+5 double tempered insulated glass

Product function:

Sliding door

Product description:

1. High quality pulley system, quiet and smooth pushing and pulling
2. thickened profile design, to ensure the strength of the frame stable
3. large area lighting design, wide vision
4. suitable for balcony, kitchen, living room partition and other occasions







INSIDE OUTSIDE

OUTSIDE



INSIDE







OUTSIDE



INSIDE

88 SERIES SLIDING WINDOW

Technical Parameters:

Frame thickness：1.0mm

Size rang:

Sash width：300mm-1200mm Sash height：500mm-1300mm

Glass specification:

5+9A+5

Product function:

Sliding (2 Panels or 4 Panels

Product description:

1. Use the performance-well aluminum material with roughness structure
2. High efficiency drainage system, plus the combination of high and low tracks design to effectively prevents the ingress of water
3. Inner sliding tracks with flyscreen,Prevents mosquitoes from entering & repelling them outdoors



Furniture Design

Fashion goes with everything
Vibrant Colors, A Visual Feast

E1 class sheet
Safe and assured

bouncy sponge cushion
The sponge texture is of high quality, with excellent resilience.

Cloth selection
The selected high-quality leather cloth is soft,breathableskin-friendly, erwlronment-friendly and durable.



WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店

WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店

星级指数：★★★★★

地理位置：卡塔尔多哈

开业时间：2022 年

工程简介：位于卡塔尔首都多哈的卢塞尔区，紧邻阿拉伯湾，坐拥无遮挡海景 , 距离市中心 CBD 约 10 分钟车程，距多哈国际机场 20 分钟车程，交通便利。共设 429 间客房，均配备私人阳台、海景休息区、平板电视、高端卫浴（含浴袍、拖鞋及坐浴盆）等，兼具本地特色和国际服务水准。美盈家具于 2022 年与酒店取得合作，提供客房，以优质的业务水平和超凡的产品品质，为各合作伙伴编写辉煌篇章。

Hotel Standard: ★★★★★

Location: Doha Qatara

The Year of Opening:2022

Project Reference: Located in Lusair District of Doha, the capital of Qatar, close to the Arabian Gulf, with open sea view , about 10 minutes' drive from the city center CBD, 20 minutes' drive from Doha International airport, convenient transportation . A total of 429 rooms , all equipped with private balcony, sea view seating area, flat-screen TV, high-end bathroom (including bathrobes, slippers and bidet) , both local and international standards of service. Meiying Furniture has cooperated with the hotel in 2022 to provide rooms, and has written brilliant chapters for the partners with high quality business level and extraordinary product quality.



WALDORF ASTORIA DOHA LUSAIL

多哈卢塞尔华尔道夫酒店

SIX SENSES SOUTHERN DUNES THE RED SEA

沙特六善酒店

Red Sea Global

SIX SENSES SOUTHERN DUNES THE RED SEA

沙特六善酒店

星级指数：★★★★★

地理位置：沙特阿拉伯

开业时间：2023 年

工程简介：红海南丘六善酒店地理位置得天独厚。坐落于红海之滨，拥有绵延的私人沙滩和清澈碧蓝的海水。在这里，你可以尽情享受阳光沙滩的浪漫，也可以潜入海底探索丰富多彩的海洋世界。周边自然景观壮丽，为宾客提供了一个远离喧嚣、亲近自然的度假胜地。设施一流尽显奢华。酒店拥有宽敞舒适的客房和套房，每一间都配备了高端的家具和现代化的设施。

Hotel Standard: ★★★★★

Location: SAUDI

The Year of Opening:2023

Project Reference: The Six Senses Red Sea Resort is uniquely located on the Red Sea coast, featuring a long stretch of private beach and clear, blue. Here, you can either bask in the romantic sunshine on the beach or dive into the sea to explore the rich and colorful marine world. The surrounding natural scenery magnificent, providing guests with a tranquil escape close to nature. The facilities are first-class and exude luxury.

SIX SENSES SOUTHERN DUNES THE RED SEA

沙特六善酒店



Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店

Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店

星级指数：★★★★★

地理位置：沙特阿拉伯 利雅得

开业时间：2021 年

工程简介：这家传统风格的酒店拥有优越的地理位置，距离哈立德国王机场约 40 公里，毗邻贾里尔书店。五星级的酒店拥有 280 间空调客房。其中一些配有带卫星频道的平板电视以及咖啡 / 茶煮设备。这些房间配有沙发和办公桌，有阳台和休息区。

Hotel Standard: ★★★★★

Location: Riyadh, Saudi Arabia

The Year of Opening:2021

Project Reference: The traditional-style hotel offers a prime location about 40 km from King Khalid airport and adjacent to Jarir Bookstore. The 5-star Joudyan Olaya Riyadh hotel welcomes guests to 280 air-conditioned rooms. Some of them come with a flat-screen TV with satellite channels along with coffee/tea making equipment. Furnished with a couch and a work desk, these rooms have a balcony and a sitting area.

Joudyan Olaya Riyadh By Elaf Hotel

KSA 千禧酒店

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU202408270020524 sofa *1:
2800*1250*750mm
solid wood inner frame + sponge + teddy velvet surface art

SKU202410290022197 Tea Table *1:
1230*890*300mm
density board

SKU2024092400021482 Dining Table *1:
1400*800*750mm
density board + rock board

SKU202409060020789 dining chairs *2
SKU202409060020818 dining chairs *2:400*600*800mm
Leather + high-density sponge + hardware frame

SKU202411220022540 Double Bed *1:
2140*1820*1030mm
Solid wood frame + contact surface top layer veneer + high-density sponge + reinforced steel-wood row frame + carbon steel feet

SKU202411220022560 Bedside table *1:
450*400*480mm
PU leather +E1 board frame + solid wood drawers + carbon alloy handles + carbon steel feet

Double Bed SKU202411220022543 *1:
2100*1560*1120mm
Solid wood frame + super-fine leather on the contact surface + high-density sponge + reinforced steel-wood frame + carbon steel feet

SKU202411220022560 Bedside Table *1:
450*400*480mm
PU leather +E1 board frame + solid wood drawers + carbon alloy handles + carbon steel feet

B1 Series Cream style

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

Multiple combinations

SKU202411260022629 sofa *1:
70D shaped cotton + high-needle fabric
2850mm straight row +950*600mm footrest

SKU202411220022586 Tea Table *1:
1300*700*400mm
E1 grade density board veneer

Round Table SKU202411220022570 *1:
1350*750mm
Board wood with baked paint + 12mm rock board

SKU202411220022582 dining chairs *4:
430*500*860mm
Backrest birch plywood + carbon steel

Double bed SKU202411220022552 *1:
2100*1860*1030mm
Solid wood frame + contact surface lambskin wool + high-density sponge + reinforced steel and wood frame

SKU202411220022560 Bedside Table *1:
450*400*480mm
Board + solid wood drawersboard veneer

Double bed SKU202411220022555 *1:
2200*2100*1100mm
Solid wood frame + contact surface lambskin wool + high-density sponge + reinforced steel and wood frame

SKU202411220022560 Bedside Table *1:
450*400*480mm
Board + solid wood drawers

SKU2024071500201 74 sofa *1:
2800*900*900mm
Oil wax cloth + high-density sponge + down + solid wood frame + hardware feet

SKU202407150020168 series several *1:
The large Tea Table measures 700*700*340mm
The small Tea Table measures 600*600*410mm
Board + paint + smoked wood grain veneer

SKU202407150020182 Double Bed *1:
2118*1896*1300mm
Printed fabric + high-density sponge + solid wood frame + ash wood

SKU202407150020184 Bedside Table *1:
495*350*500mm
Ash wood + eco-friendly paint + solid wood multi-layer board

SKU202410210021958 dining Table *1:
1350*1350*750mm
All-solid wood Southeast Asian imported walnut wood + rubber wood

SKU202407150020195 dining chairs *4:
430*490*920mm
Lambskin + sponge + oak rack

SKU202407150020175 Double Bed *1:
2150*1580*1460mm
Three-proof milk wool + high-density sponge + ash wood + solid wood frame

SKU202407150020184 Bedside Table *1:
495*350*500mm
Ash wood + eco-friendly paint + solid wood multi-layer board

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU202407150020172 sofa *1:
2900*1000*850mm
Oil wax cloth + high-density sponge + solid wood + gun black metal feet

SKU202407150020168 Tea Table *1:
The large Tea Table measures 700*700*340mm
The small Tea Table measures 600*600*410mm
Board + paint + smoked wood grain veneer

SKU202410250022055 dining Table *1:
1400*800*750mm
Travertine slabs + supporting boards + multi-layer solid wood curved boards with veneered table legs

SKU202407150020191 dining chairs *2
SKU202407150020192 dining chairs *2:
490*450*780mm
Flannel + sponge + ash wood

SKU202407150020180 Double Bed *1:
2140*1890*1476mm
Velvet fabric + high-density sponge + solid wood frame + ash wood

SKU202407150020183 Bedside Table *1:
495*350*500mm
Ash wood + eco-friendly paint + solid wood multi-layer board

SKU202407150020177 Double Bed *1:
2110*1590*1200mm
Imported top-grain yellow cowhide + fully assembled frame + high-density resilient sponge + light strips

SKU202407150020183 Bedside Table *1:
495*350*500mm
Ash wood + eco-friendly paint + solid wood multi-layer board

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU2024022700190 58 sofa *1:
3200*1030*770
Contact surface: top layer cowhide + solid wood frame + high resilience sponge + imitation leather + hardware feet

SKU202411220022574 Tea Table *1:
1300*700*380mm
Rock plate + metal tripod

SKU2024012300190 25 Dining Table *1:
1400*800*740mm
Bright rock plate + stainless steel base frame + medium density fiberboard base plate

SKU202501150023042 dining chairs *4:
480*480*860mm
Carbon steel base frame + west leather

SKU202411250022616 Bed *1:
2150*1980*1040mm
Frosted cloth + solid wood frame + steel and wood row frame

SKU2024041500198 18 Bedside Table *1:
500*400*450mm
Faux leather + medium-density fiberboard + solid wood

SKU202411220022557 Bed *1:
2150*1750*1180mm
Solid wood frame + high resilience sponge + metal base frame

SKU2024041100197 87 Bedside Table *1:
500*400*500mm
Board + paint + hardware feet

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU202407050020112 sofa *1:
2900*1060*700mm
Cotton and linen surface fabric + faux leather + solid wood frame + high-resilience sponge seat cover + down backrest cover + hardware feet

SKU202411220022573 Tea table *1:
1300*700*360mm
Rock plate + carbon steel

SKU2024022700190083 Dining Table *1:
1600*800*750mm
Picasso supercrystalline stone + medium density fiberboard base plate +201 original color stainless steel

SKU202409250021509 Dining chairs *4:
500*540*770mm
Carbon steel + shaped cotton + super-migrating leather



Double bed SKU202411250022614 *1:
2150*2330*1050mm
Saddle leather + linen, steel and wood frame, high-density sponge, pine frame

SKU202410090021702 Double Bed *1:
2400*2060*1100(mattress size 150*200*230-250)mm
Top layer cowhide + imitation leather + sensor light frame: solid wood + solid wood multi-layer board

SKU202410090021703 Bedside Table *1:
520*420*500mm
Black oak veneer + medium-density fiberboard + pine wood

B15 Series African wood grain series

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU202502120023058 sofa *1:
1970*800*830mm
Rubberwood

SKU202502120023060 Tea table *1:
1200*550*400mm
Rubber wood + ash wood veneer

SKU202502120023061 Dining Table *1:
1600*850*750mm
Rubber wood + ash wood veneer

SKU202502120023062 dining chairs *4:
540*550*780mm
Rubberwood

SKU202502120023063 Bed *1:
1830*2140*1000mm
Rubber wood + ash wood veneer

SKU202502120023064 Bedside Table *1:
450*400*500mm
Rubber wood + ash wood veneer

SKU202502120023065 bed *1:
1530*2140*1000mm
Rubber wood + ash wood veneer

SKU202502120023066 Bedside Table *1:
450*400*500mm
Rubber wood + ash wood veneer

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU202411270022712 sofa *1:
3550*1140*800mm
Pine wood frame + high resilience violet sponge + ecological high resilience sponge

SKU202411270022719 Tea table *1:
1300*700*400mm
Density board + rock board + stainless steel titanium gold + pine wood drawer

SKU202411270022718 Dining Table *1:
Open the diameter circle: 1300mm(Fold it up: 1300*850*750mm)
Eco-friendly board + bright jazz white 12mm rock plate + titanium gold hardware feet

SKU202411270022717 dining chairs *4:
480*500*850mm
Tech leather + high-elasticity sponge + titanium metal feet

SKU202403130019162*1:
2220*1980*1180mm
The contact surface is made of top-layer genuine leather, high-density sponge, light strips, solid wood and gun-black metal feet

SKU202404150019827 Head cabinet *1:
400*400*500mm
Veneer coating + spray painting + all-solid wood frame

SKU202411270022715 Bed *1:
2200*1640*1100mm
Contact surface: genuine leather + high resilience sponge + solid wood frame + solid wood frame + stainless steel gold-plated

SKU202411270022714 Bedside Table *1:
500*400*500mm
Veneer + medium-density fiberboard + solid wood veneer

A 11-piece furniture set
(1 sofa, 1 Tea Table , 1 dining table, 4 dining chairs, 2 beds, 2 bedside tables)

SKU2024102800221 23 sofa *1:
2640*990*1010mm
Electric functional sofa

SKU202409250021512 tea table *1:
Low Tea Table , 800*800*300mm
High Tea Table : 480*480*500mm
Solid wood multi-layer board + saddle leather + rock board surface

SKU202411270022740 dining Table *1:
1750-2200*750mm
Multi-layer solid wood board + edge hanging rock plate + bull socket +12mm thick rock plate +36mm base plate + acrylic feet

SKU202411270022708 dining chairs *4:
600*620*800mm
Saddle leather + carbon steel frame

SKU202410090021726 Bed *1:
2260*1900*1220mm
Top-grain cowhide + imitation leather + black titanium hardware frame: solid wood + solid wood multi-layer board
High-density and high-elasticity sponge + down bed legs :13 points. Minimalist hardware stainless steel leg frame :15 points. Hardware solid wood ribs

SKU202410090021731 Bedside Table *1:
500*400*470mm
Fabric: Faux leather + black glass
Frame: Eco-friendly density board + solid wood drawers

SKU202411280022808 Bed *1:
2220*1700*1230mm
Top-grain genuine leather fabric

SKU202409140021393 Bedside Table *1:
500*400*485mm
Top-grain genuine leather fabric

BATHROOM SERIES

1003A
Washdown one-piece toilet
Size: **680x375x810** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



1003F
Bidet
Size: **550x370x400** mm
Fixing to wall with back



1003S
Stand basin
Size: **490x490x805** mm
Fixing to wall with back



1003B
Wall-hung basin
Size: **535x425x385** mm
Fixing to wall with back



1004A

Washdown one-piece toilet
Size: **660x360x805** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



1004F

Bidet
Size: **555x360x400** mm
Fixing to wall with back



1004S

Stand basin
Size: **400x400x850** mm
Fixing to wall with back



1004B

Wall-hung basin
Size: **510x420x380** mm
Fixing to wall with back



1038A
Washdown two-piece toilet
Size: **650x340x770** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



1038W
Wall-hung toilet
Size: **485x360x365** mm
P-trap,**180**mm roughing-in



1038F
Bidet
Size: **540x340x400** mm
Fixing to wall with back



1038WB
Wall-hung basin
Size: **560x440x410** mm
Fixing to wall with back



1039A
Washdown two-piece toilet
Size: **650x340x770** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



1039W
Wall-hung toilet
Size: **490x340x360** mm
P-trap,**180**mm roughing-in



1039B
Stand basin
Size: **435x450x835** mm
Fixing to wall with back



1039FB
Wall-hung basin
Size: **500x400x385** mm
Fixing to wall with back



1048A-S
Washdown two-piece toilet
Size: **630x380x800** mm
P-trap,**180**mm roughing-in



1048A
Washdown two-piece toilet
Size: **690x390x830** mm
P-trap,**180**mm roughing-in



1048FW
Washdown floor mounted toilet
Size: **555x360x400** mm
P-trap,**180**mm roughing-in



1048F
Washdown floor mounted toilet
Size: **555x360x400** mm
P-trap,**180**mm roughing-in



1048W-S
Wall-hung toilet
Size: **510x360x350** mm
P-trap,**180**mm roughing-in



1048FB-S
Wall-hung basin
Size: **510x360x300** mm



1048W
Wall-hung toilet
Size: **570x355x365** mm
P-trap,**180**mm roughing-in



1048FB
Wall-hung basin
Size: **560x355x300** mm



1049A-S
Washdown two-piece toilet
Size: **615x380x800** mm
P-trap,**180**mm roughing-in



1049A
Washdown two-piece toilet
Size: **690x390x830** mm
P-trap,**180**mm roughing-in



1049FW
Washdown floor mounted toilet
Size: **550x360x400** mm
P-trap,**180**mm roughing-in



1049F
Washdown floor mounted toilet
Size: **550x360x400** mm
P-trap,**180**mm roughing-in



1049W-S
Wall-hung toilet
Size: **480x360x350** mm
P-trap,**180**mm roughing-in



1049FB-S
Wall-hung basin
Size: **480x360x350** mm



1049W
Wall-hung toilet
Size: **550x360x400** mm
P-trap,**180**mm roughing-in



1049FB
Wall-hung basin
Size: **550x360x400** mm



1046A-S
Washdown two-piece toilet
Size: **615x380x800** mm
P-trap,**180**mm roughing-in



1046A
Washdown two-piece toilet
Size: **690x370x820** mm
P-trap,**180**mm roughing-in



1046FW
Washdown floor mounted toilet
Size: **570x355x415** mm
P-trap,**180**mm roughing-in



1046F
Washdown floor mounted toilet
Size: **570x355x415** mm
P-trap,**180**mm roughing-in



1046W
Wall-hung toilet
Size: **485x360x350** mm
P-trap,**180**mm roughing-in



1046FB
Wall-hung basin
Size: **485x360x350** mm



WH-028B
Wall-hung toilet
Size: **510x360x350** mm
P-trap,**180**mm roughing-in
Color: Black



WH-028BB
Wall-hung Bidet
Size: **510x360x300** mm
Color: Black



WH-028GM
Wall-hung toilet
Size: **510x360x350** mm
P-trap,**180**mm roughing-in
Color: Grey Matt



WH-028BGM
Wall-hung Bidet
Size: **510x360x300** mm
Color: Grey Matt



WH-003B
Wall-hung toilet
Size: **485x365x370** mm
535x365x350 mm
P-trap,**180**mm roughing-in
Color: Black



WH-003BB
Wall-hung Bidet
Size: **485x370x325** mm
Color: Black



WH-003GM
Wall-hung toilet
Size: **485x365x370** mm
535x365x350 mm
P-trap,**180**mm roughing-in
Color: Grey Matt



WH-003BGM
Wall-hung Bidet
Size: **485x370x325** mm
Color: Grey Matt



WH-030B
Wall-hung toilet
Size: **485x350x340** mm
P-trap,**180**mm roughing-in
Color: Black



WH-030BB
Wall-hung Bidet
Size: **480x370x325** mm
Color: Black



WH-030GM
Wall-hung toilet
Size: **485x350x340** mm
P-trap,**180**mm roughing-in
Color: Grey Matt



WH-030BGM
Wall-hung Bidet
Size: **485x370x325** mm
Color: Grey Matt



8018
Washdown one-piece toilet
Size: **685x385x765** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8010
Washdown one-piece toilet
Size: **720x380x800** mm
P-trap,**180**mm roughing-in
S-trap,**250/300**mm roughing-in



8096
Washdown one-piece toilet
Size: **720x380x760** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8217
Washdown one-piece toilet
Size: **665x350x750** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8121
Washdown one-piece toilet
Size: **710x375x765** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8108
Siphonic one-piece toilet
Size: **690x375x775** mm
S-trap,**300/400**mm roughing-in



8022
Washdown one-piece toilet
Size: **720x375x810** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8067
Washdown one-piece toilet
Size: **700x370x800** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8017
Washdown one-piece toilet
Size: **660x360x805** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



8215
Washdown one-piece toilet
Size: **680x360x780** mm
P-trap,**180**mm roughing-in
S-trap,**250**mm roughing-in



GP-051
Wall-hung basin
Size: **400x340x600** mm
Wall-hung installation

GP-052
Wall-hung basin
Size: **400x380x480** mm
Wall-hung installation



GP-053
Wall-hung basin
Size: **415x345x440** mm
Wall-hung installation



GP-054
Wall-hung basin
Size: **380x340x590** mm
Wall-hung installation



BG-001
Wall-hung basin
Size: **570x490x380** mm
Wall-hung installation



BG-002
Wall-hung basin
Size: **530x440x360** mm
Wall-hung installation



BG-009
Wall-hung basin
Size: **490x450x340** mm
Wall-hung installation



BG-005
Wall-hung basin
Size: **560x460x380** mm
Wall-hung installation



BG-018
Wall-hung basin
Size: **497x440x385** mm
Wall-hung installation



BG-019
Wall-hung basin
Size: **495x442x382** mm
Wall-hung installation



XS-0141
Art basin
Size: **400x400x110** mm
Above counter mounting



XS-0140A
Art basin
Size: **500x340x110** mm
Above counter mounting

XS-0140
Art basin
Size: **600x340x110** mm
Above counter mounting

XS-0182
Art basin
Size: **400x400x120** mm
Above counter mounting



XS-0183
Art basin
Size: **500x380x120** mm
Above counter mounting



XS-0184
Art basin
Size: **600x380x120** mm
Above counter mounting



XS-0162
Art basin
Size: **415x420x125** mm
Above counter mounting



XS-0163
Art basin
Size: **505x425x125** mm
Above counter mounting



XS-0164
Art basin
Size: **600x420x125** mm
Above counter mounting



XS-0046
Art basin
Size: **510x430x150** mm
Above counter mounting



XS-0045A
Art basin
Size: **410x420x155** mm
Above counter mounting



XS-0045B
Art basin
Size: **460x460x160** mm
Above counter mounting



XS-0129
Art basin
Size: **425x425x145** mm
Above counter mounting

XS-0130
Art basin
Size: **385x385x135** mm
Above counter mounting

XS-0131
Art basin
Size: **500x390x150** mm
Above counter mounting

XS-0133
Art basin
Size: **455x325x135** mm
Above counter mounting



XS-0134
Art basin
Size: **505x405x140** mm
Above counter mounting



XS-0103A
Art basin
Size: **570x450x120** mm
Above counter mounting



XS-0193
Art basin
Size: **360x360x110** mm
Above counter mounting



XS-0012A
Art basin
Size: **400x400x150** mm
Above counter mounting



XS-0012
Art basin
Size: **420x420x160** mm
Above counter mounting



XS-0195
Art basin
Size: **360x360x120** mm
Above counter mounting



XS-0007
Art basin
Size: **555x345x140** mm
Above counter mounting

XS-0032
Art basin
Size: **600x420x140** mm
Above counter mounting

XS-0013
Art basin
Size: **430x430x170** mm
Above counter mounting



XS-0014
Art basin
Size: **380x380x150** mm
420x420x170 mm
Above counter mounting



XS-0038
Art basin
Size: **480x370x130** mm
Above counter mounting

XS-0031A
Art basin
Size: **480x330x150** mm
Above counter mounting



XS-0031B
Art basin
Size: **600x400x150** mm
Above counter mounting



XS-0010
Art basin
Size: **400x400x140** mm
460x460x155 mm
Above counter mounting



XS-0063
Art basin
Size: **480x370x130** mm
Above counter mounting

XS-0191
Art basin
Size: **540x430x170** mm
Above counter mounting



XS-0101
Art basin
Size: **460x260x120** mm
Above counter mounting

F-0026
Under counter basin
Size: **500x420x195** mm
Under counter mounting



F-0027
Under counter basin
Size: **470x390x190** mm
Under counter mounting



F-0029
Under counter basin
Size: **565x430x190** mm
Under counter mounting



F-0011
Above counter basin
Size: **510x450x190** mm
Above counter mounting



F-0013
Above counter basin
Size: **560x460x200** mm
Above counter mounting



F-0007
Above counter basin
Size: **470x410x190** mm
Above counter mounting



F-0020A
Above counter basin
Size: **460x460x210** mm
Above counter mounting



F-0021
Above counter basin
Size: **600x400x200** mm
Above counter mounting



F-0022
Above counter basin
Size: **580x410x170** mm
Above counter mounting



F-0033
Above counter basin
Size: **560x380x180** mm
Under counter mounting



F-0034
Above counter basin
Size: **610x400x200** mm
Under counter mounting



F-0035
Under counter basin
Size: **610x420x200** mm
Under counter mounting



F-0036
Under counter basin
Size: **530x370x200** mm
Under counter mounting



F-0039
Under counter basin
Size: **510x380x180** mm
Under counter mounting



F-0040
Under counter basin
Size: **470x350x200** mm
Under counter mounting



PLWOOD
BATHROOM CABINET

追求对木纹的极致体验，
把大自然最真实的一面体现到产品上面
即使抚摸着，也如沐春风一般

THE PURSUIT OF THE ULTIMATE EXPERIENCE OF WOOD GRAIN.
THE MOST REALISTIC SIDE OF NATURE IS REFLECTED IN THE PRODUCT
EVEN WHEN TOUCHING, IT IS LIKE A SPRING BREEZE

F-5072 LED

主柜 /Main Cabinet：1400x500mm ￥2800
镜子 /Mirror ：1400x600mm ￥1400
陶瓷盆 / Wash Basin

F-5073 LED

主柜 /Main Cabinet：1200x500mm ￥2500
镜子 /Mirror ：1200x600mm ￥1200
陶瓷盆 / Wash Basin

F-5073B LED

主柜 /Main Cabinet：1200x500mm ￥2400
镜子 /Mirror ：1200x600mm ￥960
陶瓷盆 / Wash Basin



F-5074 LED

主柜 /Main Cabinet : 800x500mm ¥1400
镜子 /Mirror ：700x900mm ¥720
陶瓷盆 / Wash Basin



F-5075 LED

主柜 /Main Cabinet : 800x500mm ¥1200
镜子 /Mirror ：700x900mm ¥720
陶瓷盆 / Wash Basin



8715-100 ¥820
主柜 /Main Cabinet:1000x500x450mm
镜柜 /Mirror Cabinet:950x750x170mm
多层实木板 /Plywood
陶瓷盆 /Wash Basin

8715-80 ¥720
主柜 /Main Cabinet:800x500x450mm
镜柜 /Mirror Cabinet:750x750x170mm
多层实木板 /Plywood
陶瓷盆 /Wash Basin

F-5011
F-5012 LED

Main Cabinet : **800x480**mm
Side Cabinet : **350x1200**mm
Mirror : **800x700**mm
Wash Basin

F-5009
F-5010 LED

Main Cabinet : **600x480**mm
Side Cabinet : **350x1200**mm
Mirror : **560x700**mm
Wash Basin



F-5127

Main Cabinet : **800x465**mm
Mirror : **750x700**mm
Wash Basin

F-5128

Main Cabinet : **600x465**mm
Mirror : **550x700**mm
Wash Basin



F-5150

Main Cabinet : **800x420x580**mm
Mirror : **800x700**mm
Wash Basin



F-5117

Main Cabinet : **600x420x580**mm
Mirror : **500x700**mm
Wash Basin



F-5076
F-5077 LED

Main Cabinet : **1000x500**mm
Counter tops : **1000x500**mm
Mirror Cabinet : **900x700**mm
Sintered Stone: Arabescato Corchia





F-5078
F-5079 LED

Main Cabinet : **800x500**mm
Counter tops : **800x500**mm
Mirror Cabinet : **800x700**mm
Sintered Stone: Arabescato Corchia

F-5145
F-5146 LED

Main Cabinet : **1000x500**mm
Counter tops : **1000x500**mm
Mirror Cabinet : **900x700**mm
Sintered Stone: Arabescato Corchia



F-5147
F-5148 LED

Main Cabinet : **800x500**mm
Counter tops : **800x500**mm
Mirror Cabinet : **800x700**mm
Sintered Stone: Arabescato Corchia



T-9574

Main Cabinet : **800x470**mm
Mirror Cabinet : **800x630**mm
Wash Basin



T-9576

Main Cabinet : **800x470**mm
Mirror Cabinet : **800x650**mm
Wash Basin



T-9578

Main Cabinet : **600x470**mm
Mirror Cabinet : **500x700**mm
Wash Basin





T-9060
Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Arabescato Corchia

T-9090
Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Arabescato Corchia

T-9070
Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Arabescato Corchia

T-90100
Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Arabescato Corchia

T-9080
Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Arabescato Corchia

T-90120
Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Arabescato Corchia

T-90140
Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Arabescato Corchia





T-10560
Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Italy Light Grey

T-10570
Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Italy Light Grey

T-10580
Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Italy Light Grey

T-10590
Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Italy Light Grey

T-105100
Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Italy Light Grey

T-105120
Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Italy Light Grey

T-105140
Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Italy Light Grey





T-10860
Counter tops: **600x500x200**mm
Shelf Borad: **600x500x80**mm
LED Mirror: **500x700**mm
Sintered Stone: Stone Black

T-10870
Counter tops: **700x500x200**mm
Shelf Borad: **700x500x80**mm
LED Mirror: **700x600**mm
Sintered Stone: Stone Black

T-10880
Counter tops: **800x500x200**mm
Shelf Borad: **800x500x80**mm
LED Mirror: **800x600**mm
Sintered Stone: Stone Black

T-10890
Counter tops: **900x500x200**mm
Shelf Borad: **900x500x80**mm
LED Mirror: **900x600**mm
Sintered Stone: Stone Black

T-108100
Counter tops: **1000x500x200**mm
Shelf Borad: **1000x500x80**mm
LED Mirror: **1000x600**mm
Sintered Stone: Stone Black

T-108120
Counter tops: **1200x500x200**mm
Shelf Borad: **1200x500x80**mm
LED Mirror: **1200x600**mm
Sintered Stone: Stone Black

T-108140
Counter tops: **1400x500x200**mm
Shelf Borad: **1400x500x80**mm
LED Mirror: **1400x600**mm
Sintered Stone: Stone Black



BATHROOM
FAUCETS

LIFETME QUALITY GUARANTEE
For 5 years lifetime quality guarantee,if broken,new sample will send to you for free

FLAWLESS FINISH
For corrosion & Rust resistance, It will like a new one after a long time using

ECO LEAD FREE MATERIAL
For maximum durable & health, Use superior stainless steel 304 or lead free material.

HIGH-END AERATOR
For perfect flow & eco-friendly Strong water flow but with no splash

CERTIFICATED CARTRIDGE
For lifetime free of drips and leaks

EASY FIt
Easy fit connection make fitting quick and easy

PEX WATERLINE
For easier installation and maximun healthy,and safty

DT-0501

Basin mixer
Material: Brass

DT-0501B

Basin mixer
Material: Brass

DT-0501GA

Basin mixer
Material: Brass

DT-0501G

Basin mixer
Material: Brass

DT-0502

Basin mixer
Material: Brass

DT-0502B

Basin mixer
Material: Brass

DT-0502GA

Basin mixer
Material: Brass

DT-0502G

Basin mixer
Material: Brass

DT-0509

Concealed basin mixer
Material: Brass



DT-0508

Concealed basin mixer
Material: Brass



DT-0507

Kitchen faucet
Material: Brass



DT-0510

Bathtub mixer
Material: Brass





DT-0505

Shower faucet
Material: Brass



DT-0506

Shower faucet
Material: Brass

DT-0503

Shower set
Material: Brass



DT-0504

Shower set
Material: Brass



DT-1101
Basin mixer
Material: Brass

DT-1101B
Basin mixer
Material: Brass

DT-1101G
Basin mixer
Material: Brass

DT-1101G
Basin mixer
Material: Brass

DT-1102
Basin mixer
Material: Brass

DT-1102B
Basin mixer
Material: Brass

DT-1102GA
Basin mixer
Material: Brass

DT-1102G
Basin mixer
Material: Brass

DT-1108

Concealed basin mixer
Material: Brass



DT-1103

Concealed basin mixer
Material: Brass



DT-1107

Kitchen faucet
Material: Brass



DT-1109

Bathtub mixer
Material: Brass





DT-1113

Shower faucet
Material: Brass



DT-1114

Shower faucet
Material: Brass



DT-1115

Shower faucet
Material: Brass



DT-1120

Bath shower floor standing mixer
Material: Brass

DT-5701

Basin mixer
Material: Brass



DT-5702

Basin mixer
Material: Brass



DT-5703

Kitchen faucet
Material: Brass



DT-5704

Concealed basin mixer
Material: Brass





DT-5705

Shower faucet
Material: Brass



DT-5707

Shower faucet
Material: Brass



DT-5708

Shower set
Material: Brass

FDT-3307

Kitchen mixer
Material: Brass



FDT-3305

Basin mixer
Material: Brass



FDT-3303

Shower mixer
Material: Brass



FDT-3306

Basin mixer
Material: Brass



FDT-3304

Shower mixer
Material: Brass



FBM-724
Basin mixer
Material: Brass

FBM-724GA
Basin mixer
Material: Brass

FBM-726
Basin mixer
Material: Brass

FBM-726GA
Basin mixer
Material: Brass

FBM-727
Basin mixer
Material: Brass

FBM-727GA
Basin mixer
Material: Brass

FBM-729
Basin mixer
Material: Brass

FBM-729GA
Basin mixer
Material: Brass

GJ-0501

Single towel bar
Material: SUS304



GJ-0502

Double towel bar
Material: SUS304



GJ-0503

Towel shelft
Material: SUS304



GJ-0504

Glass shelf
Material: SUS304



GJ-0505

Single glass holder
Material: SUS304



GJ-0507

Soap dish holder
Material: SUS304



GJ-0509

Paper holder
Material: SUS304



GJ-0510

Robe hook
Material: SUS304



GJ-0511

Towel ring
Material: SUS304





GJ-0513

Bathroom basket
Material: SUS304



GJ-0512

Toilet brush holder
Material: SUS304



GJ-0501G

Single towel bar
Material: SUS304

GJ-0502G

Double towel bar
Material: SUS304

GJ-0503G

Towel shelft
Material: SUS304

GJ-0501B

Single towel bar
Material: SUS304

GJ-0502B

Double towel bar
Material: SUS304



GJ-0503B

Towel shelft
Material: SUS304

GJ-0504G

Glass shelf
Material: SUS304

GJ-0505G

Single glass holder
Material: SUS304

GJ-0507G

Soap dish holder
Material: SUS304

GJ-0504B

Glass shelf
Material: SUS304

GJ-0505B

Single glass holder
Material: SUS304

GJ-0507B

Soap dish holder
Material: SUS304

GJ-0509G

Paper holder
Material: SUS304

GJ-0510G

Robe hook
Material: SUS304

GJ-0511G

Towel ring
Material: SUS304

GJ-0513G

Bathroom basket
Material: SUS304

GJ-0512G

Toilet brush holder
Material: SUS304

GJ-0509B

Paper holder
Material: SUS304

GJ-0510B

Robe hook
Material: SUS304

GJ-0511B

Towel ring
Material: SUS304

GJ-0513B

Bathroom basket
Material: SUS304

GJ-0512B

Toilet brush holder
Material: SUS304

GJ-1101

Single towel bar
Material: SUS304



GJ-1102

Double towel bar
Material: SUS304



GJ-1103

Towel shelft
Material: SUS304



GJ-1104

Glass shelf
Material: SUS304



GJ-1105

Single glass holder
Material: SUS304



GJ-1107

Soap dish holder
Material: SUS304



GJ-1112

Paper holder
Material: SUS304



GJ-1110

Robe hook
Material: SUS304



GJ-1111

Towel ring
Material: SUS304



GJ-1115

Paper holder
Material: SUS304



GJ-1114

Toilet brush holder
Material: SUS304



GJ-1101B
Single towel bar
Material: SUS304

GJ-1103B
Towel shelft
Material: SUS304

GJ-1110B
Robe hook
Material: SUS304

GJ-1112B
Paper holder
Material: SUS304

GJ-1115B
Paper holder
Material: SUS304

GJ-1114B
Toilet brush holder
Material: SUS304

GJ-1101G
Single towel bar
Material: SUS304

GJ-1103G
Towel shelft
Material: SUS304

GJ-1110G
Robe hook
Material: SUS304

GJ-1112G
Paper holder
Material: SUS304

GJ-1115G
Paper holder
Material: SUS304

GJ-1114G
Toilet brush holder
Material: SUS304



FD-801
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-817
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-864
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-865
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-866
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-867
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-868
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-869
地漏
Floor drainage
Material: SUS304
尺寸 /Size**150x150**mm



FD-870
地漏
Floor drainage
Material: SUS304
尺寸 /Size**90x90**mm



FD-871
地漏
Floor drainage
Material: SUS304
尺寸 /Size**90x90**mm



FD-872
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-879
地漏
Floor drainage
Material: SUS304
尺寸 /Size**100x100**mm



FD-873

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm



FD-874

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x80**mm **600x80**mm



FD-875

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm



FD-876

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm



FD-877

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x100**mm



FD-878

地漏
Floor drainage
Material: SUS304
尺寸 /Size**300x80**mm **600x80**mm

HP-02
喷枪
Spray shower
Material: 塑料 /Plastic



HP-11
喷枪
Spray shower
Material: 塑料 /Plastic



HP-05
喷枪
Spray shower
Material: 塑料 /Plastic



HP-06
喷枪
Spray shower
Material: 塑料 /Plastic



HP-09
喷枪
Spray shower
Material: 塑料 /Plastic



DP-001BR
喷枪
shower Set
Material: SUS304



DP-002BR
喷枪
shower Set
Material: SUS304



DP-003BR
喷枪
shower Set
Material: SUS304



HP-12
喷枪
Spray shower
Material: Brass

HP-12B
喷枪
Spray shower
Material: Brass

HP-12G
喷枪
Spray shower
Material: Brass

HP-12GA
喷枪
Spray shower
Material: Brass

HP-13
喷枪
Spray shower
Material: Brass

HP-13B
喷枪
Spray shower
Material: Brass

HP-13G
喷枪
Spray shower
Material: Brass

HP-13GA
喷枪
Spray shower
Material: Brass

HP-15
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-15B
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-15G
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-15GA
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-17
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-17B
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-17G
淋浴弯头
shower elbow
Material: A 级铜 /Brass

HP-17GA
淋浴弯头
shower elbow
Material: A 级铜 /Brass











JF-046
角阀
Angle valve
Material: Brass



JF-012
角阀
Angle valve
Material: Brass



JF-047
角阀
Angle valve
Material: Brass



FJF-030
角阀
Angle valve
Material: Brass



FJF-030BR
角阀
Angle valve
Material: Brass



FJF-036
角阀
Angle valve
Material: Brass



FJF-042
角阀
Angle valve
Material: Brass



DJF-001
角阀
Angle valve
Material: SUS304



DJF-004
角阀
Angle valve
Material: SUS304



DJF-010BR
角阀
Angle valve
Material: SUS304

DJF-013
角阀
Angle valve
Material: SUS304



DJF-015BR
角阀
Angle valve
Material: SUS304



DJF-016BR
角阀
Angle valve
Material: SUS304



DJF-017BR
角阀
Angle valve
Material: SUS304



DJF-018BR
角阀
Angle valve
Material: SUS304

LED display screen



Quick installation

College cooling

Three-axis six-way automatic leveling

Pre-maintenance

Dual power backup

Thin

Modular Design

The golden ratio, the ultimate display

Cabinet 16:9 golden ratio, easy to achieve 2K, 4K, 8K and other ultra-high-definition resolutions, point-to-point true color reproduction

- From light to thin, breaking through the shackles
- The golden ratio, minimalist design
- Dynamic energy saving, lasting stability
- Small spacing, 4 in 1 light
- Super wide viewing angle, true horizon
- Brilliant color for ultimate enjoyment



Dual backup power supply, dual backup receiving card (optional)



Cool Color

Easy pre-installation and pre-maintenance

Light, thin and sturdy

A single box weighs only 4.5kg and is only 25mm thick. save transportation and installation costs and easily meet more demanding installation environment standards and the ultimate pursuit of the whole screen aesthetics.



Creative wireless

The box adopts any internal alignment between the upper and lower left and right, the appearance is simple, without any wire exposed, neat and Aesthetic, can support the internal arc ≤ 5 ° splicing.

Patented certification, Myriad patented design connection piece

The front plane connection piece and arc connection piece (internal arc screen use), so that the box combination of flat precision more High. Effectively solve the box installation segment difference and improve the display splicing flatness.



Modular design

Module, HUB, receiver card, power supply can be easily realized before maintenance. Remove any module can be lit Light up test, greatly facilitate maintenance operation, good experience.

Light and thin cabinet

The box is made of die-cast aluminum, high strength, high temperature resistance, easy installation, greatly reducing installation time.

Creative wireless

The cabinet adopts up and down, left and right any internal wiring way.

Full front maintenance

Optional bottomless module, receiving card, power supply can easily achieve the front maintenance

Product Model	UA1.2-IIA	UA1.2-II B	UA1.5-II	UA1.8-II	UA2-II	UA2.5-II
Pixel pitch(mm)	1.25	1.29	1.538	1.86	2.0	2.5
Module size(mm)	320x160x15(light board with bottom case)/320x160x3(light board without bottom case)					320x480x15
Cabinet size(mm)	640x480x60(light board with bottom case)/640x480x48(light board without bottom case)					640x480x60
Pixel density(WxH)(Pixels)	512x384	496x372	416x312	344x258	320x240	256x192
Brightness(Nit)	≥400	≥450	≥450	≥450	≥450	≥650
Refresh rate(Hz)	3840	3840	3840	3840	3840	1920/3840
Power Consumption(Max/Aver.)(W/㎡)(Typical Value)	440/150	440/150	300/100	340/120	340/120	490/170
Installation methods	Stacking, Lifting					
Maintenance method	Front maintenance					
Signal Type(with video processor)(Compatible)	DVI/HDMI/DP					
Control distance	Controllable Distance: CAT5E<100m,Single-mode Fiber:<10KM					



Anti-collision

protection of the cabinet's corners

a curved shape by splicing

The cabinet can be assembled at -10,-5,0,+5,+10 degrees with arc lock.widely accepted in the installation environment

Modular design

Module, Power supply, Cabinet as separate from an independent structure design

New Hasp

Fast lock, simple assembly

Applications	Indoor			
Product Model	RC1.9-II	RC2.6-II	RC3.9-II	RC4.8-II
Pixel Pitch(mm)	1.95	2.6	3.91	4.81
Module Size(mm)	250x250x14.6			
Cabinet Size(mm)	500x500x81.6			
Pixel Density(WxH)(Pixels)	256x256	192x192	128x128	104x104
Brightness(Nit)	≥650			
Refresh Rate(Hz)	1920/3840			
Power Consumption(Max/Aver.)(W/m²)(Typical Value)	450/150			
Installation Methods	Stacking, Hanging			
Maintenance Method	Front & Rear maintenance			
Signal Type(with video processor)(Compatible)	DVI/HDMI/DP			
Controllable Distance	Controllable Distance: CAT5E<100m,Single-mode Fiber:<10KM			



Applications	Indoor			
Product Model	RC1.9-II	RC2.6-II	RC3.9-II	RC4.8-II
Pixel Pitch(mm)	1.95	2.6	3.91	4.81
Module Size(mm)	250x250x14.6			
Cabinet Size(mm)	500x1000x81.6			
Pixel Density(WxH)(Pixels)	256x512	192x384	128x256	104x208
Brightness(Nit)	≥650			
Refresh Rate(Hz)	1920/3840			
Power Consumption(Max/Aver.)(W/m²)(Typical Value)	450/150			
Installation Methods	Stacking,Hanging			
Maintenance Method	Front & Rear maintenance			
Signal Type(with video processor)(Compatible)	DVI/HDMI/DP			
Controllable Distance	Controllable Distance: CAT5E<100m,Single-mode Fiber:<10KM			

F

Front View　Side View　Back View

Product Model	F10-A	F16-A
Pixel pitch(mm)	10	16
Module size(mm)	320x160x27	256x256x27
Cabinet size(mm)	960x960x147	1024x1024x147
Pixel density(WxH)(Pixels)	96x96	64x64
Brightness(Nit)	≥6500	
Refresh rate(Hz)	1920/3840	
Power Consumption(Max/Aver.)(W/㎡)(Typical Value)	295/88	340/102
Installation methods	Stacking	
Maintenance method	Rear maintenance	
Signal Type(with video processor)(Compatible)	DVI	
Control distance	Controllable Distance: CAT5E<100m,Single-mode Fiber:<10KM	

FS-H

Quick installation　Efficient heat dissipation　Excellent flatness　Maximum Life span　Complete protection　Maximum Refresh　Modular design

Standard structure, excellent quality

Adopting die-casting aluminum alloy process to achieve outstanding features such as high precision and light weight.

- Multi-protection, both inside and outside
- Full rear maintenance, fast installation
- Light and thin case, space saving
- Precision processing, smooth display
- Multiple pixel pitch available in any combination
- Powerful heat dissipation, longer lifespan



Die-casting aluminum alloy process　Flexible and versatile installation　Mask is non-reflective and UV-resistant

High precision

Die-casting process,high flatness, coefficient less than 1mm, uniform

Light weight

Maganesium and aluminum materials, light and easy to handle, save freight

Quick installation

Quick lock, quick installation, save time and effort



Universal application

Different pitches can use the same cabinet same installations



Front View　Side View　Back View

Product Model	FS02-H	FS03-H	FS04-H	FS05-H	FS6.6-H	FS08-H	FS10-H
Pixel pitch(mm)	2.5	3.076	4	5	6.667	8	10
Module size(mm)	320x160x17.5	320x160x17.5	320x160x17.5	320x160x17.5	320x160x19.5	320x160x19.5	320x160x21.5
Cabinet size(mm)	960x960x105	960x960x105	960x960x105	960x960x105	960x960x107	960x960x107	960x960x109
Pixel density(WxH)(Pixels)	384x384	312x312	240x240	192x192	144x144	120x120	96x96
Brightness(Nit)	≥4500	≥4500	≥5000	≥5000	≥6000	≥6000	≥6000
Refresh rate(Hz)	1920/3840						
Power Consumption(Max/Aver.)(W/㎡)(Typical Value)	475/145	475/145	460/138	460/138	550/165	550/165	550/165
Installation methods	Stacking						
Maintenance method	Rear maintenance						
Signal Type(with video processor)(Compatible)	DVI/HDMI/DP						
Control distance	Controllable Distance: CAT5E<100m,Single-mode Fiber:<10KM						

Front/Rear Maintenance

Quick installation

Efficient heat dissipation

Excellent flatness

Maximum Life span

Complete protection

Maximum Refresh

Modular design

Free collocation,various displaying

FS-QE and FS-QR cabinets can assemble together, to realize seemless arc splicing,and to meet various application.

- Intelligent detection, automatic and fast correction
- 360°full arc splicing, realize various creative design
- Energy-saving voltage divider design, effectively reduce power consumption of entire led display
- High brightness LEDs, High efficiency, low attenuation

Variously presenting naked eye 3D effect

Modular design, easy maintenance

High brightness, against strong sunlight

Support 10,000-level brightness, clear picture videos under strong sunlight.

Energy-saving voltage divider design,reduces power consumption of led screen and saves operating costs.



Front maintenance lock design: Different from traditional hard extrusion lock, no need maintenance tool. Meanwhile using elastic materials to hidden failure issue of lock function caused by environmental and building vibrations.

Aluminum alloy cabinet design, the weight for each cabinet is only 24.5kg, save transportation and installation structure cost. Full front/rear maintenance, high efficient and convenient.

Heat dissipation design: Power box is die-casting aluminum material, high precision and good strength. The power box cover is adopting concept of computer CPU heat sink, the heat dissipation fins are uniformly distributed on the surface,to accelerate the internal heat disspipation of power box.

QUALITY ARCHITECTURAL COATINGS

Architectural exterior wall coatings feature a robust erosion-resistant layer, effectively withstanding harsh weather and environmental aggressors to prolong the building's lifespan. With rich color palettes and multidimensional textures, they seamlessly adapt to diverse architectural design aesthetics.

CLEAR TOPCOAT

The topcoat provides UV resistance, acid rain erosion resistance, stain-resistant and self-cleaning properties, long-lasting color retention, and easy application. It forms a dense protective film, delivering long-term protection and decorative effects.

MULTI-FUNCTIONAL ALKALI-RESISTANT SEALING PRIMER

Multi-functional Alkali-Resistant Sealing Primer enhances the adhesion of topcoats, providing resistance to alkali and moisture while preventing wall cracks or peeling. With easy application and smooth leveling, it ensures excellent compatibility with various topcoats, reducing material consumption. Its low VOC (Volatile Organic Compounds) content makes it both eco-friendly and durable.

ODORLESS WALL PAINT

Convenient application

No-odor and environmentally friendly

Rich and diverse colors

LUMINOUS MORNING DEW

With colors as brushstrokes, we craft tender masterpieces that embrace diverse aesthetics;
On a canvas of refined texture, mirror-smooth finishes unveil the premium essence of wall artistry.

Colorful

Living

Healthy

Breathing

Professional color matching,elevates home style

Long-lasting gloss, stain & mold resistant

EXTERNAL WALL LATEX PAINT

MORNING MIST SILK-WHITE

Utilizing high-purity color pigments and nano-technology for precise coloration, ensuring weather resistance, color retention, and fade resistance.
The texture options range from matte, semi-gloss, high-gloss to stone-like finishes, combining aesthetics with enhanced durability to meet both decorative and functional demands.

Durable
Lustrous Finish

Excellent
water tolerance

Excellent
breathability


5

One Coat Infinite Styles

نماذج
الوحدات

LINDER A1001
LINDER A1011
LINDER A1021
LINDER A1031
LINDER A1041
LINDER A1051

LINDER A1002
LINDER A1012
LINDER A1022
LINDER A1032
LINDER A1042
LINDER A1052

LINDER A1003
LINDER A1013
LINDER A1023
LINDER A1033
LINDER A1043
LINDER A1053

LINDER A1004
LINDER A1014
LINDER A1024
LINDER A1034
LINDER A1044
LINDER A1054

LINDER A1005
LINDER A1015
LINDER A1025
LINDER A1035
LINDER A1045
LINDER A1055

LINDER A1006
LINDER A1016
LINDER A1026
LINDER A1036
LINDER A1046
LINDER A1056

LINDER A1007
LINDER A1017
LINDER A1027
LINDER A1037
LINDER A1047
LINDER A1057

LINDER A1061
LINDER A1071
LINDER A1081
LINDER A1091
LINDER A1101
LINDER A1111

LINDER A1062
LINDER A1072
LINDER A1082
LINDER A1092
LINDER A1102
LINDER A1112

LINDER A1063
LINDER A1073
LINDER A1083
LINDER A1093
LINDER A1103
LINDER A1113

LINDER A1064
LINDER A1074
LINDER A1084
LINDER A1094
LINDER A1104
LINDER A1114

LINDER A1065
LINDER A1075
LINDER A1085
LINDER A1095
LINDER A1105
LINDER A1115

LINDER A1066
LINDER A1076
LINDER A1086
LINDER A1096
LINDER A1106
LINDER A1116

LINDER A1067
LINDER A1077
LINDER A1087
LINDER A1097
LINDER A1107
LINDER A1117

LINDER A1121 LINDER A1131 LINDER A1141 LINDER A1151 LINDER A1161 LINDER A1171

LINDER A1122 LINDER A1132 LINDER A1142 LINDER A1152 LINDER A1162 LINDER A1172

LINDER A1123 LINDER A1133 LINDER A1143 LINDER A1153 LINDER A1163 LINDER A1173

LINDER A1124 LINDER A1134 LINDER A1144 LINDER A1154 LINDER A1164 LINDER A1174

LINDER A1125 LINDER A1135 LINDER A1145 LINDER A1155 LINDER A1165 LINDER A1175

LINDER A1126 LINDER A1136 LINDER A1146 LINDER A1156 LINDER A1166 LINDER A1176

LINDER A1127 LINDER A1137 LINDER A1147 LINDER A1157 LINDER A1167 LINDER A1177

LINDER A1181 LINDER A1191 LINDER A1201 LINDER A1211 LINDER A1221 LINDER A1231

LINDER A1182 LINDER A1192 LINDER A1202 LINDER A1212 LINDER A1222 LINDER A1232

LINDER A1183 LINDER A1193 LINDER A1203 LINDER A1213 LINDER A1223 LINDER A1233

LINDER A1184 LINDER A1194 LINDER A1204 LINDER A1214 LINDER A1224 LINDER A1234

LINDER A1185 LINDER A1195 LINDER A1205 LINDER A1215 LINDER A1225 LINDER A1235

LINDER A1186 LINDER A1196 LINDER A1206 LINDER A1216 LINDER A1226 LINDER A1236

LINDER A1187 LINDER A1197 LINDER A1207 LINDER A1217 LINDER A1227 LINDER A1237

Our Project
& Customers /

OUR PROJECT

◆ Dahiyat Al Fursan 2 city > 718 residential units

A new landmark city in Riyadh, Dahiyat Al Fursan is located in north easternRiyadh only l4km away from Riyadh Airport. The development will be builtover a 35 million square-meter of land, providing more than 5O,000 housingunits of various sizes and designs, all within an integrated residentialcommunity offering high-end services and facilities.

OUR PROJECT

DAR WA EMAAR

NHC
الوطنية للإسكان

◆ SarayaAl Fursan > 825 residential units

Saraya Al Fursan is a new project that aims to boost the supply ofquality housing units that Dahiyat Al Fursan city seeks to provide.Accommodating between 400,000 and 450,000 residents.

OUR PROJECT

DAR WA EMAAR

NHC
الوطنية للإسكان

◆ SarayaAl Bahar > 425 residential units

One of the most recent projects developed by Dar Wa Emaar, Saraya AlBahar combined the modern lifestyle and the quiet environment andinspiring desians In addition to its strategic location Close to the mainand secondary road network of Qatif, Awamiya and Jubail, The projectextends over an area of 4l7.3l0 square meters.

OUR PROJECT

Project Title : Qumra Residential

Quantity : 400 Apartment

Location : Riyadh,Saudi arabia

Time : 2025

ERTH

ESLA

OUR PROJECT

- NEOM RESIDENTIAL COMMUNITY 9 (NRC-9

Project Title : Taif Al Hawiyah Project

Quantity : 1188 Apartment

Location : Taif

Time : 2024-2025



Project Title : Rehab Al Dar

Quantity : 1092 Sets

Location : Medina Almunawara，Saudi Arabia

Time : 2025

OUR PROJECT

◆ AL MUHANNADIYA –JEDDAH

The National Housing Company (NHC) was established in 2016under Royal Decree No. 7262,dated 8/2/1437AD to be theinvestment arm of the initiatives and programs of the Ministryof Municipal and Rural Affairs and Housing in the real estate.residential and commercial sectors. Then the company cameunder state ownership in May of the year 2020, after which itentered a new stage in its journey and became an effectiveenabler of solutions for the Saudi real estate market.

OUR PROJECT

OUR PROJECT

Project Title : Roshn Sedar Second Phase

Quantity : 2200 Villas

Location : North Riyadh，Saudi Arabia

Time : 2024-2025

OUR PROJECT

Project Title : Al Sadan

Quantity : 1500 villas

Location : Jeddah, Saudi

Time : 2025

NHC
الوطنية للإسكان

السدن
AL SADAN

OUR PROJECT

OUR PROJECT

Project Title : Riyadh Hospital

Quantity : around 60,000 m^2

Location : Riyadh，Saudi Arabia

Time : 2023

مستشفى الرياض
riyadh hospital