

SILKROAD



SILKROAD BUILDING MATERIAL PROJECT SERVICE CO., LTD

Email: sr@silkroadbuild.com

WEB: www.silkroadbuild.com

Add: Kind Abdulaziz Rd, Al Aarid, Riyadh 13332,
KSA Silk Road Arabia Building Material LLC

WPC Door

Global Construction Building Material Solution

COMPANY PROFILE



Silkroad Door Factory is one professional manufacturer for specializing in WPC door by 10 years, Now we have our sales team and own showroom in saudi arabia, Our factory pass the ISO9001、CE、 SASO certificate, We also have our own installation team in saudi arabia.

400⁺
staff

Worker

50000⁺m²
Area

Factory

50000⁺
Pcs/Month

Production



FULL WPC DOOR-PAINTING

Waterproof


- Waterproof
- Moistureproof

Anti-Termite

- Anti-Worm
- Anti Termite

Fast Delivery

Sound Proof



Environmentally Friendly


- Eco-friendly Material
- Formaldehyde Levels: e1
- Recycled Material

Customized

- Color and design
- Hinge hole
- Lock hole
- ODM&DEM

Easy Installation

- 4 screws connection
- Saving labor time



Thickness 19mm(±)


Surface thickness 5/7mm(±)

Thickness 3mm(±)

WPC DOOR PANEL TYPE


40MM WPC DOOR

Door panel Size





45MM WPC DOOR


Door panel Size




WPC SKIN DOOR



PRODUCT FEATURES



Waterproof
-Waterproof
-Moistureproof




Anti-Termite
-Anti-Worm
-Anti Termite




Environmentally Friendly
-eco-friendly Material
-formaldehyde Levels:E1
-recycled Material



Customized
-Color and design
-Hinge hole
-Lock hole
-Carton box



Easy Installation
-4 screws connection
-Saving labor time
-Saving cost



Fast Delivery
-Faster than competitor



Better life
-The Noise Reduction



WD-101
Name: WPC Door



WD-102
Name: WPC Door



WD-103
Name: WPC Door



WD-104
Name: WPC Door



WD-105
Name: WPC Door



WD-106
Name: WPC Door



WD-107
Name: WPC Door



WD-108
Name: WPC Door




WD-109
Name: WPC Door



WD-110
Name: WPC Door



WD-111
Name: WPC Door




WD-112
Name: WPC Door



WD-113
Name: WPC Door




WD-114
Name: WPC Door




WD-115
Name: WPC Door



WD-116
Name: WPC Door




WD-117
Name: WPC Door



WD-118
Name: WPC Door



WD-119
Name: WPC Door



WD-120
Name: WPC Door



WD-121
Name: WPC Door



WD-122
Name: WPC Door



WD-123
Name: WPC Door



WD-124
Name: WPC Door



WD-125
Name: WPC Door



WD-126
Name: WPC Door



WD-127
Name: WPC Door



WD-128
Name: WPC Door



WD-129
Name: WPC Door



WD-130
Name: WPC Door



WD-131
Name: WPC Door




WD-132
Name: WPC Door



WD-133
Name: WPC Door



WD-134
Name: WPC Door



WD-135
Name: WPC Door



WD-136
Name: WPC Door



WD-137
Name: WPC Door




WD-138
Name: WPC Door



WD-139
Name: WPC Door




WD-141
Name: WPC Door



WD-140
Name: WPC Door



WD-142
Name: WPC Door





WD-143
Name: WPC Door



WD-144
Name: WPC Door



WD-145
Name: WPC Door



WD-146
Name: WPC Door



WD-147
Name: WPC Door



WD-148
Name: WPC Door



WD-149
Name: WPC Door



WD-150
Name: WPC Door



WD-151
Name: WPC Door



WD-152
Name: WPC Door



WD-153
Name: WPC Door



WD-154
Name: WPC Door




WD-155
Name: WPC Door



WD-157
Name: WPC Door



WD-156
Name: WPC Door



WD-158
Name: WPC Door



WD-159
Name: WPC Door



WD-160
Name: WPC Door



WD-161
Name: WPC Door



WD-162
Name: WPC Door



WD-163
Name: WPC Door



WD-164
Name: WPC Door



WD-165
Name: WPC Door



WD-166
Name: WPC Door



WD-167
Name: WPC Door



WD-168
Name: WPC Door



WD-169
Name: WPC Door



WD-170
Name: WPC Door



WD-171
Name: WPC Door



WD-172
Name: WPC Door




WD-173
Name: WPC Door



WD-174
Name: WPC Door



WD-175
Name: WPC Door



WD-176
Name: WPC Door



WD-177
Name: WPC Door



WD-178
Name: WPC Door



WD-179
Name: WPC Door



WD-180
Name: WPC Door



WD-181
Name: WPC Door



WD-182
Name: WPC Door



WD-183
Name: WPC Door



WPC BATHROOM DOOR



WD-300
Name: WPC Bathroom Door



WD-301
Name: WPC Bathroom Door



WD-302
Name: WPC Bathroom Door



WD-303
Name: WPC Bathroom Door



WPC BATHROOM DOOR



WD-304
Name: WPC Bathroom Door



WD-305
Name: WPC Bathroom Door



WD-306
Name: WPC Bathroom Door



WD-307
Name: WPC Bathroom Door



WPC SPLICED DOOR



250/400mm
Full WPC Assembly panel



WPC PU foam panel



900*35mm
Full WPC panel



WD-400
Name: WPC Spliced Door



WD-401
Name: WPC Spliced Door



WD-402
Name: WPC Spliced Door



WD-403
Name: WPC Spliced Door



WD-404
Name: WPC Spliced Door



WD-405
Name: WPC Spliced Door



WD-406
Name: WPC Spliced Door



WD-407
Name: WPC Spliced Door



WD-408
Name: WPC Spliced Door



WD-409
Name: WPC Spliced Door



WD-410
Name: WPC Spliced Door




WD-411
Name: WPC Spliced Door

ZINC ALLOY DOOR LOCK SERIES



DL-100G
Name: Door Lock



DL-100
Name: Door Lock



DL-100GR
Name: Door Lock




DL-100B
Name: Door Lock

ZINC ALLOY DOOR LOCK SERIES



DL-101B
Name: Door Lock



DL-101
Name: Door Lock



DL-101GR
Name: Door Lock



DL-101G
Name: Door Lock




DL-101AB
Name: Door Lock

ZINC ALLOY DOOR LOCK SERIES



DL-102
Name: Door Lock



DL-102GR
Name: Door Lock



DL-102G
Name: Door Lock




DL-102AB
Name: Door Lock

ZINC ALLOY DOOR LOCK SERIES



DL-103B
Name: Door Lock



DL-103
Name: Door Lock



DL-103GR
Name: Door Lock



DL-103G
Name: Door Lock




DL-103AB
Name: Door Lock

ZINC ALLOY DOOR LOCK SERIES



DL-104
Name: Door Lock



DL-104B
Name: Door Lock



DL-104GR
Name: Door Lock




DL-104G
Name: Door Lock

ZINC ALLOY DOOR LOCK SERIES



DL-105
Name: Door Lock



DL-105B
Name: Door Lock



DL-105GR
Name: Door Lock



DL-105G
Name: Door Lock



DL-105AB
Name: Door Lock



LB-100
Name: Magnetic lock body



LB-101
Name: Heavy spring lock body



LB-102
Name: Magnetic lock body



LB-103
Name: Magnetic lock body




LB-104
Name: Door Body




LB-105
Name: Door Body

MEASUREMENT METHODS FOR WOODEN DOOR FRAME COVERS




The three dimensions required for measuring the door opening: The measurement of the opening size is based on the completion of ground treatment (tiles and flooring have been laid) and wall painting. For height and width, take the minimum values at three positions; for wall thickness, take the maximum value at three positions. The calculation method for the frame is based on the door opening: subtract 1 cm from the height. Reduce by 2 cm

MEASUREMENT METHODS FOR IRREGULAR WALLS




The red parts are the added false wall piers, which facilitate the installation and fixation of the wooden door frame panels. The thickness of the false wall is 3.5 to 4 cm and its width is the same as that of the other wall. It is recommended to use wooden boards to make the false wall. When measuring the width of the door opening, just reserve the thickness of the false wall. The height and thickness were measured normally.


DIRECTION OF OPENING THE DOOR




LEFT LOCKED
right inward-opening



LEFT LOCKED
right outward opening



RIGHT LOCK
left outward opening



RIGHT LOCK
left inward-opening



A TYPE

Door Frame

A40-1



100	120	140	180
200	240		

G45-1


80	100	120	140
160	180	200	220
240	260	200(SHAKE HEAD)	

E TYPE


E40-1




E45-1



E45-2








E45-15



Y TYPE









Door Frame

Y40-0






B TYPE




B40-1




B45-1



B45-1




B42-1/B44-1





D TYPE

D35-1



100


D35-3



90



100


D40-3


90



D45-3


90



Assembly Type

ASSEMBLY FRAME


90A40/45-1

210A-0(>135MM)

270A-0(≤135MM)





Install way




JJJ-PZJ


UK-01(42*120MM)


UK-02(44*120MM)


BK(132MM FRAME)


UK04-1


UK05-1


CX(35*250MM)


CX(35*400MM)


ZD(80mm middle line)


PX(PU foam core)


Composite door core
FOAM 2mm wpc door skin



CX(35*700MM)


CX(35*800MM)

CX(35*920MM)





CX(35*1000MM)





Decoration Lines


YX01


YX02


YX03


YX03


YX04


YX05


YX06


YX07


C03 Door stop


K40/K45 Door buckle


K40/K45 Door buckle


B01


B02


B03-35

B03-40

B03-45

Door line JJJ-XMS


L-30*60	L-38*60	L-50*60
L-73*60	L-30*80	L-34*80
L-65*80	L-60*100	L-80*100
L-100*80	T-30*90	T-30*100

Door line JJJ-XMS

R-36*100	R-65*100	R-85*100	C-050*100	H-40*100
H-80*100	L-33*70	L-37*97	L-38*100	
TJ01-80	TJ01-120	TJ02	TJ03	
TJ04-70	TJ04-100	TJ04-150	TJ05	

WPC Door Panels/Frames/Trims

WPC Door Panels ▶



Features

1、 Dimensional standard:

- a.Thickness: 40/45mm
- b.Width:
40-710/730/830/930/1000/1100mm
45-610/710/760/810/860/910/
1000/1100mm
- c. length:2100-2600mm customizable

2、 Surface thickness of door:

4.5-5.0mm Sculptible shapes with a depth of up to 2mm

3、 Surface treatment process:

- a.PP Lamination/PET Film
- b.paint

4、 Edge banding treatment:


- a.Use 0.8-1.2mm edge banding and PUR hot melt adhesive to seal the edges
- b.Fill the cavity after longitudinal cutting with wooden blocks first, and then seal the edges

5、 keyhole:

- a.The unlocking hole position should be filled with a wooden square strip, and the length of the screw fixing the lock tongue position is 20mm
- b. The screw length for installing hinges is 35mm

◀ WPC Door Frames

Width:100-260mm




40series

door width	Applicable wall thickness	Trim type
90mm	80mm ≤ wall thicknes < 110mm	Conventional Trims
120mm	120mm ≤ wall thicknes < 130mm	Conventional Trims
130mm	120mm ≤ wall thicknes < 140mm	Conventional Trims
140mm	130mm ≤ wall thicknes < 170mm	Conventional Trims
160mm	150mm ≤ wall thicknes < 170mm	Conventional Trims
	170mm ≤ wall thicknes < 200mm	Deepen Trims
180mm	170mm ≤ wall thicknes < 190mm	Conventional
200mm	190mm ≤ wall thicknes < 210mm	Conventional
220mm	210mm ≤ wall thicknes < 230mm	Conventional
	230mm ≤ wall thicknes < 260mm	Deepen Trims

45series

door width	Applicable wall thickness	Trim type
100mm	100mm ≤ wall thicknes < 120mm	Conventional Trims
120mm	120mm ≤ wall thicknes < 140mm	Conventional Trims
140mm	140mm ≤ wall thicknes < 160mm	Conventional Trims
160mm	160mm ≤ wall thicknes < 180mm	Conventional Trims
180mm	180mm ≤ wall thicknes < 200mm	Conventional Trims
200mm	200mm ≤ wall thicknes < 220mm	Deepen Trims
220mm	220mm ≤ wall thicknes < 240mm	Conventional
240mm	240mm ≤ wall thicknes < 260mm	Deepen Trims
260mm	260mm ≤ wall thicknes < 280mm	Conventional

Note: The material of 90/130/180mm in the 40 series is hard resin




▲ WPC Door Trims

COLOR CARD




C-001 C-002 C-003 C-004 C-005



C-006 C-007 C-008 C-009 C-010




C-011 C-012 C-013 C-014 C-015



C-016 C-017 C-018 C-019 C-020



C-021 C-022 C-023 C-024 C-025



C-026 C-027 C-028 C-029 C-030



C-031 C-032 C-033 C-034 C-035



C-036 C-037 C-038 C-039 C-040

COLOR CARD



C-041



C-042



C-043



C-044



C-045



C-046



C-047



C-048



C-049



C-050



C-051



C-052



C-053



C-054



C-055



C-056



C-057



C-058



C-059



C-060



C-061



C-062



C-063



C-064



C-065



C-066



C-067



C-068



C-069



C-070



C-071



C-072



C-073



C-074




C-075



C-076



C-077



C-078




C-079



C-080

COLOR CARD



C-081 C-082 C-083 C-084 C-085



C-086 C-087 C-088 C-089 C-090



C-091 C-092 C-093 C-094 C-095



C-096 C-097 C-098 C-099 C-100




C-101 C-102 C-103 C-104 C-105



C-106 C-107 C-108 C-109 C-110



C-111 C-112 C-113 C-114 C-115



C-116 C-117 C-118 C-119 C-120

COLOR CARD



C-121 C-122 C-123 C-124 C-125



C-126 C-127 C-128 C-129 C-130




C-131 C-132 C-133 C-134 C-135




C-136 C-137 C-138 C-139 C-140



C-141 C-142 C-143 C-144 C-145



C-146 C-147 C-148 C-149 C-150



C-151 C-152 C-153 C-154